


COMMONWEALTH OF MASSACHUSETTS EXECUTIVE OFFICE OF ENVIRONMENTAL AFFAIRS

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

251 CAUSEWAY STREET, SUITE 600-700, BOSTON, MA 02114-2104 PHONE 617-973-8700 FAX 617-973-8798 www.state.ma.us/demi



COMMUNITY FORESTRY IN ARLINGTON

Argeo Paul Cellucci GOVERNOR

Program Review and Recommendations for Management

Jane Swift

Bob Durand SECRETARY

Peter C. Webber COMMISSIONER

The following discussion and recommendations are submitted by Jane Calvin, Massachusetts LIEUTENANT GOVERNOR Community Action Forester, to help town officials in Arlington develop an effective, comprehensive urban forestry program.

Introduction

An effective community forestry program will maintain the natural beauty of Arlington through active participation of its citizens. These management recommendations are designed to lead policymakers and citizens toward achieving a sustainable urban forestry program that will improve the quality of life in Arlington for generations to come.


Background

During the Fall of 1998, the Town of Arlington with guidance from the MA DEM's Urban Forestry Program conducted a survey (statistical sampling) of town-owned and controlled trees. Random road segments and blocks throughout town were sampled within three zones (see attached map). The sampled data is then extrapolated and weighted to provide town-wide data as presented here. The goal of the survey was to provide data that would allow local officials and community activists to communicate the "big picture" regarding the condition of Arlington's urban forest.2

Summary of Results

- The total estimated value of Arlington's urban forest is \$60,826,000.3
- 24,500 trees represents 69 species, representing all trees within 20' of the curb of land owned or controlled by the Town of Arlington;
- The most common species is Norway maple (40.8%), with other species trailing behind as follows: black oak (5.1%), hemlock (4.2%), and arborvitea (4.0%);
- 44.2% of Arlington's trees are in fair to poor condition (35.4% fair/8.8% poor).

Tree Condition



Size class distribution - Town-wide

Size class distribution is an important way to evaluate the overall composition of the urban forest. Urban forests have successional stages, just as more forested parks and conservation areas do. In urban areas, size class distribution reflects more on the streetscape character and potential insect, disease and maintenance problems.

- Average Tree Diameter (DBH) = 13.1". A large portion of the trees (40.5%) are under 8"
 which will comprise the urban forest for future generations. Although, this does raise a flag
 because these same trees would also ideally be pruned periodically to ensure structural integrity
 and prevent future problems. Furthermore, it is likely that many of these are behind the setback
 which might require encouragement of homeowners to care for their trees that will become the
 urban forest of tomorrow.
- Mature shade trees (>32") that tend to define the character of the streetscape (i.e., red and sugar maples, and elm) are only a small portion of the population in Arlington (4.9%).

The following discussion and recommendations are presented to help town officials develop an effective, comprehensive urban forestry program. Each section begins with a brief analysis of data from Arlington's street tree survey, followed by prioritized recommendations that specifically address the results of the survey. Finally, the right-hand column provides a framework for assigning responsibilities and a timeline for completion.

It is anticipated that this document will become the template for a management plan, outlining a multi-year timeline for annual budgeting, community involvement, developing new policies, and improved maintenance and planting programs.

Submitted by:
Jane Calvin
Community Action Forester
Urban Forestry Program
Massachusetts Department of Environmental Management
(617) 626-1456

September 1999

¹ The process also involved dividing the town into discreet sections, representing regions with unique geography and density. The names of these sections are those that most residents would recognize and be able to locate: North, South, and East Arlington.

² Statistical data, using a computer program known as "Treedt", which summarizes the urban forest in Arlington is contained at the end of this report. Approximately 12% of all trees within the right-of-way of each section were sampled to determine species, size and condition; a total of trees were sampled in this survey.

⁵The value represents a replacement cost based on basal area. This is calculated based on the diameter of the tree and is valued at \$27.00 per square inch. This is a conservative estimate because it does not include the environmental benefits such as removing pollutants and cooling streets. In addition the value of \$27 is well below the international standard. It is important to look at this number in relation to other infrastructure in town.

Results

While species diversity is high, one species (out of 69) predominates at 40.5% of the population.

Of the 24,500 trees within the public right-of-way, three families dominate:

- · 47.1 percent (%) are maples;
- · 9.2% are oak; and
- · 4.2% are ash.

There are approximately 3,580 tree planting sites throughout the town. The most available sites are in the South Arlington section (with 1913 sites).

Tree planting and Species Diversity¹

Recommended Actions

PROVIDE TREE PLANTING LIST of the most desirable species (including sycamore, sourwood, and tuliptree) to guide homeowners and town officials in selecting trees for streets and parks. Continue planting higher value species and include in list the introduction of new species to discourage overplanting of common species.

ESTABLISH REPLACEMENT POLICY with priority directed at tree removals. In developing a policy related to replacement trees (whether for removals, new developments, or infrastructure improvements), it is important to review what the replacement ratio is. (In other words, do current policies allow replacing four 24" trees with four 3" caliper trees [inch per inch]? Or is it simply one tree planted for one removed, regardless of size?)

CREATE PERMIT PROCESS FOR PRIVATE TREE PLANTING to provide oversight and ensure that the right tree is planted in the right place.

REQUIRE A MINIMUM 100 FT3 for tree planting sites.

INITIATE AN AT-COST TREE PLANTING program to encourage tree planting.

ESTABLISH "SET-BACK" PLANTING POLICY State law permits planting within 20 feet of the right-of-way and, where space is available and a homeowners desire a tree, this should be town policy.

DEVELOP PARTNERSHIP WITH LOCAL NURSERY to contract-grow community trees (considerable per tree savings).

ESTABLISH SPECIFICATIONS for all work related to trees.

PURCHASE AND PLANT BARE-ROOT STOCK in early spring for further savings.

SEEK A MINIMUM TWO PERCENT of all road and sidewalk repair budgets for landscaping. Construction of new roadways and sidewalks is an excellent opportunity to fund new tree planting. Planting trees during capital improvement projects much less expensive in comparison to individual tree plantings.

INVESTIGATE NEW STRUCTURAL SOIL MIXES which can hold the weight of sidewalks and roadways while permitting roots to grow unobstructed.

Who & When (Responsibilities & Timeline)

When selecting trees for public areas, two goals should be kept in mind: diversity and desirability

A diversity of species will greatly reduce the probability that a single insect or disease problem will impact a large proportion of the urban forest (e.g., Dutch Elm Disease on American elm, or more currently, the long-horned beetle). It is normally recommended that no species make up more than about 5% of the total urban forest population; and no family more than 10 percent.

Emphasize more desirable trees to reduce maintenance problems and enhance the beauty of the community. Trees that are short lived, break easily in snow, wind or ice storms, are susceptible to serious insect or disease attack, or have a high maintenance growth habit should be avoided (e.g. silver maple, bradford pear). Trees in the upper desirability classes (Classes 1 and II) will provide better and longer service.

When creating planting spaces along streets, seek the greatest amount of growing space possible. The large trees remaining today that provide canopy and define gateways are extremely difficult to replace. In order to support a healthy tree, planting spaces should be a minimum of 100 cubic feet.

Tree Maintenance and Removal

Early intervention will prevent liability hazards

Age and species distribution of street trees is relatively good in Arlington. In general, a significant number of the most common trees in the urban forest, however, are in fair to poor condition, requiring early intervention to avoid pedestrian hazards and removal costs in the next five to 15 years.

Results

Hazard trees need removal within 5 years

 In all, we estimate that (8.8% of the trees inventoried, or 2,147 trees) need to be watched very carefully for hazards and will probably need to be removed within the next five years.

35.4% of Arlington's trees are in fair condition and may require removal within 20 years. This needs to be budgeted for in advance.

Those in fair to poor condition include:

- 56.8% of Norway maples (5,677 trees);
- 46.4% of red/black oaks (991 trees);
- 57.5% of white and 34,7% of green ash, totalling 369 trees; and
- · 42.9% of red maples (297 trees); and
- · 34.5% of American elms (90 trees).

Recommended Actions

CONDUCT AN ANNUAL SPRING HAZARD TREE SURVEY to identify and prioritize maintenance needs, identify trees with winter damage, hazard limbs or trees that need to be removed. DEM can provide training in hazard tree identification and prioritizing responses in order to reduce hazard liabilities.

DEVELOP A LONG-TERM BUDGET FOR REMOVAL/REPLACEMENT of the estimated trees in "poor" condition (by reviewing the cost of current removals). This should happen on a multi-year time frame and be clearly budgeted for to reduce liability and safety hazards.

INVEST IN IMPROVING TREE CONDITION. Approximately 35.4% of your community's trees are in fair condition. Small annual investments in maintenance can yield great long-term savings by extending tree longevity and reducing removal costs. With a relatively small investment in deadwood pruning, trees in "fair" condition can be upgraded to "good" condition with an accompanying average increase in tree value and longevity.

MULCH ALL STREET AND PARK TREES with a wood chips or bark mulch. Proper mulching will provide protection for trees from mower and weed whip damage as well as increase growth and vigor by conserving soil moisture and moderating soil temperatures.

WATER TREES REGULARLY. Consider contracting out or encouraging volunteers or civic organizations to water regularly during dry periods. Lack of water is the primary cause of death for new trees.

ESTABLISH HIGH STANDARDS FOR TREE CARE by providing training for inhouse crews to earn status as Massachusetts Certified Arborists.

PROVIDE PROFESSIONAL IMPROVEMENT OPPORTUNITIES for town officials, staff, and tree advisory board members to advance their knowledge of community forestry and arboricultural practice through attendance at workshops that relate to community tree management. Attendance at the annual Tree Wardens' and Foresters' Conference is highly recommended.

SPECIFY CERTIFIED ARBORISTS for all contracted town tree work. Contract work should take place primarily in the winter to assure the best bid prices.

ESTABLISH A GIS BASED INVENTORY OF THE URBAN FOREST. This will allow day-to-day management to be tracked on an ongoing basis, while also integrating the data into other infrastructure data (e.g. poser lines, sewer).

| Who (Respon | eibilitie | When | alie |
|----------------|-----------|------------|--------|
| (Meshon | SIDILITIE | S (SC 1111 | ICILLI |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | , | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Public Awareness, Education, and Youth

Several active citizens took part in this survey and could likely become the core of a tree committee. With interest from the garden club and other groups, the community of Arlington has the foundation for developing a stronger urban forestry constituency.

The recommendations regarding public awareness, education, and youth are focused toward the tree warden's and possible future tree committee's activities in developing a stronger base of support for the long-term care of Arlington's community forest.

| Recommended Actions | Who & When (Responsibilities & Timeline) |
|--|---|
| ENGAGE THE GREATER COMMUNITY in civic improvements focused on trees. Projects might include: Project Learning Tree Arbor Day events (last Friday in April) Tree and park tours Tree Stewardship training workshops Heritage tree searches (Trees Are Cool) | |
| INVOLVE NEIGHBORHOOD ORGANIZATIONS, local schools and youth in the tree care program. There are considerable resources available through state and private agencies interested in supporting grassroots action on behalf of trees. | |
| ESTABLISH A PUBLIC EDUCATION PROGRAM through local news media and nonprofit groups to provide information regarding tree planting and maintenance. Emphasis should be placed on the advantages of planting desirable trees and practicing good tree care. | |
| APPLY FOR TREE CITY USA STATUS IN 1999. | |

Policy and Administration

To accomplish the goals and objectives decided upon by the Town of Arlington, a workable administrative framework is necessary. Here are suggested steps to develop such a framework:

CONCLUSIONS

Arlington is a historic town with a great undercurrent of vitality. Trees are an important community resource that add value to adjacent property and attract new residents, industry and tourism. The people of Arlington are increasingly aware of this resource. There is great potential for enhancement of Arlington's urban forest. The urban forest of Arlington contributes substantially to resident and commercial property values and, with moderate increases in annual tree planting and maintenance, could yield significant returns in the years ahead.

Who & When (Responsibilities & Timeline) Recommended Actions REVIEW THE TOWN CODES AND MASS. GENERAL LAW CHAPTER 87 as they relate to trees and consider any changes which need to be made to update regulations. DEVELOP CROSS-PROGRAM RELATIONSHIPS with other Arlington agencies, e.g. Conservation Commission Planning and Zoning Board, and local non-profits. This would increase support for your program, highlight an ecosystem based understanding of the roles trees play in community sustainability, and underscore a stronger link to community livability and quality of life. PUBLICIZE THIS REPORT and make it available to the general public to increase public awareness of the urban forest by publicizing this report. ESTABLISH A TREE ADVISORY BOARD through legal ordinance that will be responsible to advise the town and make recommendations for urban forest management. INITIATE A PERMIT PROCESS for tree planting and removal. ESTABLISH ANNUAL LONG-RANGE PLANS FOR MAINTENANCE (through an officially recognized tree advisory board), including: annual hazard tree surveys; replacement and removal of all trees in poor condition; a cyclical pruning regime to upgrade the condition of existing trees; establishment of a permit process for removals on private property; and utility tree pruning. MAINTAIN ANNUAL WORK PLANS to accomplish needed tree work and provide alternative levels of service tied to budget constraints. REVIEW ALL CAPITAL IMPROVEMENT PROJECTS for potential affects on trees. GIVE THE TREE CARE PROGRAM A LINE IN THE TOWN BUDGET. MAINTAIN CONTACT WITH THE MASSACHUSETTS DEM-URBAN FORESTRY PROGRAM (617-626-1456) for cooperative programs and planning and

planting grants.

ASSUMPTIONS:

Tree Value \$27.00 Per Square Inch

| FACTOR (Basis) | | | TITLES lues | | |
|-------------------|----------------|------------------|-------------------|-------------------|-----------------|
| SPECIES (Pot) | CLASS 1 | CLASS II 80, | CLASS III 60. | CLASS EV 40. | CLASS V 20. |
| SIZE {Ave Diam | 1-8 IN 5.00 | 9-16 IN 12.00 | 17-24 IN 20.00 | 25-32 IN 28.00 | 32+ IN 38.00 |
| CONDITION (Pot) | EXCEL. 95. | GOOD 70, | FAIR | POGR 20. | |

CONDITION CLASS SUMMARY -South Arlington

| TOTALS | 11867 | 100.0 | 576 | 4.9 | 5112 | 43.1 | 5078 | 42.8 | 1101 | 9.3 |
|----------------------------|-------|-------|-----|-------|-------|-------|------|-------|------|-------|
| Willow, White | 9 | .1 | 0 | .0 | 0 | .0 | 0 | .0 | 9 | 100.0 |
| Fir, Balsam | 9 | . 1 | 9 | 100.0 | -0 | .0 | 0 | | 0 | .0 |
| Pine, Ponderosa | 9 | . 1 | 0 | .0 | 9 | 100.0 | 0 | .0 | 0 | . 0 |
| Ginkgo | 9 | . 1 | 9 | 100.0 | Û | .0. | .0 | -0 | 0 | - 0 |
| Willow, Weeping | 9 | . 1 | 0 | .0 | 9 | 100.0 | 0 | .0 | 0 | .0 |
| Larch species | 9 | . 1 | 0 | -0 | | 100.0 | 0 | .0 | D | .0 |
| Magnolia species | 9 | . 1 | 0 | .0 | 9 | 100.0 | 0 | .0 | 0 | .0 |
| Fir species | 9 | . 1 | 0 | .0 | 9 | 100.0 | 0 | .0 | 0 | .0 |
| Hophornbeam | 9 | -1 | 0 | -0 | Ó. | 0.0 | D | -0 | 9 | 100.0 |
| Catalpa | .18 | . 2 | 0 | .0 | 9 | 50.0 | 10 | .0 | 9 | 50.0 |
| Fir, White | 18 | -2 | 9 | 50.0 | 9 | 50.0 | 0 | .0 | 0 | .0 |
| Soxelder | | | | | | | | | | |
| | 18 | .2 | 0 | .0 | 9 | 50.0 | 0 | .0 | 9 | 50.0 |
| Beech Species Tuliptres | 18 | . 2 | 0 | .0 | | 100.0 | 0 | -0 | 0 | .0 |
| | 18 | - 2 | 0 | .0 | 9 | 50.0 | 9 | 50.0 | 0 | ,0 |
| Misc. II | 18 | . 2 | 0 | .0 | | 100.0 | 0 | .0 | 0 | .0 |
| Elm, Chinese | 18 | . 2 | 0 | .0 | 19 | 100.0 | 0 | .0 | D | .0 |
| Ela, English | 27 | .2 | o | 0.0 | 9 | 33.3 | 18 | 66.7 | 0 | .0 |
| Sweetqum | 27 | . 2 | 9 | 33.3 | 18 | 66.7 | 0 | .0 | 0 | -0 |
| Pear, Bradford | 27 | .2 | 0 | .0 | 27 | 100.0 | 0 | .0 | Ú | .0 |
| Oak, Pin | 27 | . 3 | 0 | .0 | 0 | .0 | 27 | 100.0 | 0 | .0 |
| Juniper apecies | 27 | -2 | 9. | 33.3 | 19 | 66.7 | 0 | .0 | 0 | . 0 |
| Pear, Callery | 36 | .3 | 0 | .0 | 27 | 75.0 | 13 | .0 | . 9 | 25.0 |
| Oak, White | 5.4 | .5 | - 0 | .0 | 36 | 66.7 | 0 | .0 | 1.8 | 33.3 |
| Redcedar, Eastern | 54 | .5 | 0 | .0 | 9 | 26.7 | 19 | 33.3 | 27 | 50.0 |
| Morsechestnut spp. | 54 | . 5 | 0 | .0 | 0 | .0 | 18 | 33.3 | 36 | 66.7 |
| Hickory species | 54 | . 5 | 0 | .0 | 27 | 50.0 | 27 | 50.0 | .0 | .0 |
| Mountain Ash specte | | . 5 | 9 | 14.3 | 27 | 42.9 | 27 | 42.9 | 0 | .0 |
| Maple, Sugar | 72 | . 6 | 9 | 12.5 | 63 | 87.5 | 0 | . 0 | 0 | .0 |
| Apple, Fruiting | 72 | . 6 | 9 | 12.5 | 54 | 75.0 | 9 | 12.5 | 0 | -0 |
| Sycamore | 7.2 | - 6 | 36 | 50.0 | 27 | 37.5 | 0 | .0 | 9 | 12.5 |
| Mulberry species | 61 | . 7 | 0 | .0 | 54 | 66.7 | 27 | 33.3 | 0 | .0 |
| Birch, Paper | 99 | . 8 | 36 | 36.4 | 54 | 54.5 | 9 | 9.1 | 0 | .0 |
| Misc. IV | 117 | 1.0 | 0 | .0 | 27 | 23.1 | 54 | 46.2 | 36 | 30.8 |
| Honeylocust | 117 | 1.0 | 9 | 7.7 | 99 | 84.6 | 9 | 7.7 | 0 | .0 |
| Elm, American | 144 | 1.2 | 0 | .0 | 90 | 62.5 | 36 | 25.0 | 1.8 | 12.5 |
| Linden species | 153 | 1.3 | 0 | .0 | 99 | 64.7 | 45 | 29.4 | 9 | 5.9 |
| Cherry, Black | | | - | | | | | | - | |
| | 153 | 1.3 | 0 | 10 | 54 | 35.3 | 63 | 41.2 | 36 | 23.5 |
| Maple, Silver | 180 | 1.5 | ő | .0 | 153 | 85.D | 19 | 10.0 | 9 | 5.0 |
| Walnut species | 180 | 1.5 | 9 | 5.0 | 135 | 75.0 | 36 | 20.0 | Ď | .0 |
| Ash, Green | 189 | 1.6 | 36 | 19.0 | 117 | 62.9 | 36 | 19.0 | 0 | .0 |
| Maple, Japanese | 198 | 1.7 | 226 | 63.6 | 72 | 36.4 | 0 | .0 | 0 | . 0 |
| Crabapple species | 198 | 1.7 | 9 | 4.5 | 81 | 40.9 | 90 | 45.5 | 18 | 9.1 |
| Dogwood species | 234 | 2.0 | 63 | 26.9 | 126 | 53.8 | 36 | 15.4 | 9 | 3.6 |
| Dak, Red | 243 | 2.0 | 9 | 3.7 | 126 | 51.9 | 99 | 40.7 | 9 | 3.7 |
| Ash, White | 243 | 2.0 | 9 | 3.7 | 45 | 18.5 | 126 | 51.9 | 63 | 25.9 |
| Spruce species | 288 | 2.4 | 9 | 3.1 | 153 | 53.1 | 108 | 37.5 | 18 | 6.3 |
| Maple, Red | 360 | 3.0 | 1.9 | 5.0 | 180 | 50.0 | 144 | 40.0 | 18 | 5.0 |
| Pine, White | 370 | 3.1 | 1.8 | 4.9 | 208 | 56.2 | 144 | 38.9 | 0 | .0 |
| Cherry, Ornamental | 378 | 3.2 | 4.5 | 11.9 | 225 | 59.5 | 72 | 19.0 | 36 | 9.5 |
| Arborvitae | 688 | 5.8 | 9 | 1.3 | 399 | 50.0 | 235 | 34.2 | 45 | 6.5 |
| Hemlock spp. | 706 | 5.9 | 4.5 | 6.4 | 363 | 51.4 | 226 | 32.0 | 72 | 10.2 |
| Oak, Black | 838 | 7.1 | 0 | .0 | 306 | 36.5 | 415 | 49.5 | 117 | 14.0 |
| | | 40.8 | 1.8 | . 4 | 1,469 | 30.4 | 2997 | 59.9 | 453 | 9.4 |

CONDITION CLASS SUMMARY - North Arlington

| | TOTAL | PCT | | | | COMPIT | | | | |
|--------------------------|--------|-------|-----|-------|------|--------|------|------|-----|------|
| | NO OF | OF | - | CEL. | - | QQD | | AIR | | OOR |
| SPECIES | TREES | TOTAL | NO. | PCT | NO. | PCT | NO. | PCT | NO. | PCT |
| SECTION 1 - NORTH A | RLINGT | ON | | | | | | | | |
| Maple, Norway | 2809 | 35.4 | 9 | .3 | 1560 | 55.5 | 869 | 30.9 | 371 | 13.2 |
| Oak, Red | 614 | 7.7 | 18 | 2.9 | 398 | 64.8 | 162 | 26.4 | 36 | 5.9 |
| Oak, Black | 415 | 5.2 | 10 | .0 | 262 | 63.1 | 244 | 34.7 | 9 | 2.2 |
| Cherry, Ornamental | 343 | 4.3 | 36 | 10.5 | 145 | 42.3 | 9.9 | 28.9 | 63 | 18.4 |
| Pine, White | 334 | 4.2 | 0 | .0 | 235 | 70.4 | 72 | 21.6 | 27 | 8.1 |
| Spruce species | 333 | 4.2 | 81 | 24.3 | 144 | 43.2 | 90 | 27.0 | 18 | 5.4 |
| Dogwood species | 261 | 3.3 | 45 | 17.3 | 117 | 44.9 | 72 | 27.6 | 27 | 10.3 |
| Maple, Red | 234 | 2.9 | 18 | 7.7 | 109 | 46.2 | 72 | 30.8 | 36 | 15.4 |
| Arborvitae | 225 | 2.9 | 9 | 4.0 | 72 | 32.0 | 144 | 64.0 | 0 | . 0 |
| | 216 | 2.7 | 9 | 4.2 | 126 | 59.3 | 81 | 37.5 | 0 | - 0 |
| Ash, Green | 207 | 2.6 | ó | .0 | 81 | 39.1 | 126 | 60.9 | o o | . (|
| Sycamore | 198 | 2.5 | 18 | 9.1 | 36 | 18.2 | 117 | 59.1 | 27 | 13.1 |
| Crabapple species | 162 | 2.0 | 9 | 5.6 | 135 | 63.3 | 9 | 5.6 | 9 | 5.1 |
| Henlock spp. | | 1.8 | 0 | | 90 | 62.5 | 45 | 31.3 | 9 | 6. |
| Maple, Silver | 144 | | 0 | 0 | 54 | 40.0 | 72 | 53.3 | 9 | 6.1 |
| Mulberry species | 135 | 1.7 | 9 | 7.7 | 90 | 76.9 | 9 | 7.7 | 9 | 7. |
| Ash, White | 117 | | | | | | 22 | 25.0 | 0 | 1 |
| Tree-of-Heavan | 108 | 1.4 | 0 | - 0 | 81 | 75.0 | | 36.4 | 0 | - 5 |
| Elm, American | 99 | 1.2 | 0 | .0 | 63 | 63.6 | 36 | | | |
| Locust, Black | 99 | 1.2 | 0 | . 0 | 81 | 81.8 | 10 | 19.2 | 0 | 10 |
| Maple, Sycamore | 90 | 55 | 9 | 10.0 | 9 | 10.0 | 63 | 70.0 | 9 | 10. |
| Birch, White | 81 | 1.0 | 9 | 11.1 | 54 | 66.7 | 10 | 22.2 | 0 | 1 1 |
| Magnolia species | 72 | . 9 | 36 | 50.0 | 27 | 37.5 | 0 | .0 | 9 | 12. |
| Walnut species | 5.4 | .7 | 0 | .0 | 54 | 100.0 | 0 | .0 | 0 | |
| Linden species | 54 | . 7 | 9 | 16.7 | 27 | 50.0 | 18 | 33.3 | 10 | |
| Juniper species | 54 | . 7 | 0 | .0 | 4.5 | 83.3 | 9 | 16.7 | D | |
| Misc. IV | 4.5 | . 6 | 9 | 20.0 | 36 | 80.0 | 0 | .0 | 0 | |
| Mountain Ash species | 45 | . 6 | 0 | .0 | 18 | 40.0 | 1.9 | 40.0 | 9 | 20. |
| Maple, Sugar | 45 | . 5 | 0 | .0 | 36 | 80.0 | 0 | .0 | 9 | 20. |
| Maple, Japanese | 36 | .5 | 1.8 | 50.0 | 1.8 | 50.0 | 0 | .0 | 0 | r |
| Apple, Fruiting | 36 | . 5 | 0 | .0 | 27 | 75.0 | 9 | 25.0 | Ü | |
| Fruit, Other | 36 | - 5 | 10 | .0 | 18 | 50.0 | 9 | 25.0 | 3 | 25. |
| Oak, White | 36 | .5 | 0 | .0 | 27 | 75.0 | 9. | 25.0 | 0 | |
| Ash, Black | 27 | .3 | 0 | .0 | 9 | 33.3 | 9 | 33.3 | 9. | 33. |
| Honeylocust | 27 | . 3 | 0 | . 0 | 27 | 100.0 | 0 | .0 | · O | 2 |
| Misc. II | 18 | .2 | 0 | .0 | 18 | 100.0 | 0 | .0 | 0 | |
| Hackberry | 18 | . 2 | 0 | .0 | 18 | 100.0 | 0 | .0 | 0 | |
| Birch, Grey | 18 | /2 | 9 | 50.0 | 0 | .0 | 9 | 50.0 | 0 | |
| Tuliptree | 18 | . 2 | 0 | .0 | 9 | 50.0 | 0 | .0 | 9 | 50. |
| Pear, Bradford | 18 | . 2 | 0 | .0 | | 100.0 | 0 | .0 | 0 | |
| Hickory species | 9 | .1 | 9 | 100.0 | 0 | .0 | 0 | .0 | 0 | - |
| Horsechestaut app. | 9 | -1 | 0 | .0 | 9 | | 0 | .0 | 0 | |
| Beech Species | 9 | 1 | 0 | .0 | 9 | | 0 | .0 | 0 | |
| Misc. III | 9 | 7 | D | .0 | | 100.0 | G | .0 | 0 | |
| | 9 | .1 | 0 | .0 | 9 | | 0 | .0 | 0 | 7 |
| Catalpa | 9 | 1.5 | 0 | .0 | 9 | | ŏ | .0 | 0 | |
| Poplar species TOTALS | 7935 | 100.0 | 369 | 4.7 | 4418 | 55.7 | 2435 | 30.7 | 713 | 9. |

CONDITION CLASS SUMMARY -East Arlington

| TOTALS | 4709 | 100.0 | 387 | 8.2 | 2830 | 60.1 | 1159 | 24.6 | 333 | 7. |
|-------------------------------|------|-------|-----|-------|------|-------|------|-------|-----|-----|
| Mulberry species | 9 | . 2 | 0 | .0 | 9 | 100.0 | 0 | .0 | 0 | 7. |
| Misc. IV | 9 | . 2 | 9 | 100.0 | 0 | .0 | 0 | .0 | 0 | . 6 |
| Redbud, Eastern | 9 | . 2 | 0 | .0 | 0 | .0 | 9 | 100.0 | 0 | |
| Fruit, Other | 9 | . 2 | 0 | .0 | 9 | 100.0 | 0 | .0 | 0 | . 4 |
| Oak, Swamp White | 9 | . 2 | 9 | 100.0 | 0 | .0 | 0 | .0 | 0 | |
| Oak, Scarlet | 9 | . 2 | 0 | .0 | 9 | 100.0 | 0 | -0 | 0 | |
| Catalpa | 9 | .2 | 0 | .0 | 9 | 100.0 | 0 | .0 | 0 | |
| Seech Species | 9 | . 2 | 0 | .0 | 9 | 100.0 | 0 | . 0 | 0 | 4 |
| ine, Austrian | 9 | . 2 | 9 | 100.0 | 0 | . 0 | D | .0 | 0 | |
| lm, American | 18 | . 4 | 0 | .0 | 18 | 100.0 | 0 | .0 | 0 | |
| ine, Red | 18 | . 4 | 0 | . 0 | 18 | 100.0 | 0 | .0 | - 0 | |
| lountain Ash species | 18 | . 4 | 0 | .0 | 18 | 100.0 | 0 | .0 | -0 | |
| pole, Fruiting | 18 | . 4 | 18 | 100.0 | 0 | . 0 | - 0 | .0 | -0 | |
| rabapple species | 18 | . 4 | 0 | .0 | 0 | э, 🛘 | 9 | 50.0 | 9 | 50. |
| 1rch, Grey | 18 | . 4 | 18 | 100.0 | 0 | .0 | 0 | . 0 | 0 | |
| ine, White | 18 | . 4 | 18 | 100.0 | 0 | .0 | 0 | - 0 | 0 | |
| agnolia species | 19 | .4 | 9 | 50.0 | 9 | 50.0 | I.O. | .0 | 0 | |
| ak. Red | 27 | . 6 | 9 | 33.3 | 18 | 66.7 | 0 | . 0 | 0 | |
| aple, Silver | 27 | . 6 | 9 | 33.3 | 9 | 33.3 | 9 | 33.3 | Ġ. | |
| aple, Japanose | 27 | . 6 | 1.8 | 66.7 | 9 | 33.3 | G | . 0 | 0 | - |
| aple, Sycamore | 36 | . 8 | 0 | .0 | 36 | 100.0 | 0 | .0 | 0 | 7 |
| ycamore | 45 | 1.0 | 9 | 20.0 | 36 | 30.0 | 0 | .0. | 0 | |
| ine, Scotch | 45 | 1.0 | D | .0 | 36 | 80.0 | 0 | .0 | 9 | 20. |
| ir, Balsam | 54 | 1.1 | 0 | .0 | 54 | 100.0 | - 0 | .0 | 0 | |
| rborvitae | 63 | 1.3 | 0 | .0 | 63 | 100.0 | -0 | .0 | D | |
| alnut species | 72 | 1.5 | 9 | 12.5 | 63 | 87.5 | 0 | .0 | 0 | |
| aple, Red | 99 | 2.1 | 9 | 9.1 | 63 | 63.6 | 9 | 9.1 | 18 | 18, |
| herry, Ornamental | 117 | 2.5 | 18 | 15.4 | 54 | 46.2 | 27 | 23.1 | 18 | 15. |
| pruce spacies | 126 | 2.7 | 0 | .0 | 117 | 92.9 | 0 | .0 | 9 | 7. |
| ogwood species | 144 | 3,1 | 1.8 | 12.5 | 63 | 43.8 | 5.4 | 37.5 | 9 | 6. |
| emlock spp. | 153 | 3.2 | 72 | 47.1 | 81 | 52.9 | Ď | . 0 | 0 | 4 |
| sh, Green | 252 | 5.4 | 6.3 | 25.0 | 144 | 57.1 | 36 | 14.3 | 9 | 3. |
| cneylocust | 344 | 7.3 | 0 | .0 | 317 | 92.2 | 27 | 7.8 | 0 | - |
| aple, Norway inden species | 497 | 10.6 | 0 | .0. | 353 | 71.0 | 108 | 21.7 | 36 | 7. |
| | 2356 | 50.0 | 63 | 2.7 | 1206 | 51.2 | 873 | 37.0 | 216 | 9.3 |

CONDITION CLASS SUMMARY Town-wide

| | | COND | TIT | ON | CALL | 5 5 | HIMM | RI 1 | COMU | -MIGE |
|-----------------------------------|----------|-------|------|-------|------|-------|------|-------------|------|-------------|
| | TOTAL | PCT | | | | CONDI | | | | |
| 2500000 | NO OF | OF | | CEL. | | OOD | | AIR | | OOR |
| SPECIES | TREES | TOTAL | NO. | PCT | NO. | 42.3 | NO. | PCT 46.4 | NO. | PCT 10.4 |
| Maple, Norway Oak, Black | 1253 | 40.8 | 90 | .9 | 4233 | 45.3 | 4637 | 44.6 | 1040 | 10.1 |
| Hemlock spp. | 1021 | 4.2 | 126 | 12.3 | 579 | 56.7 | 235 | 23.0 | 81 | 7.9 |
| Arborvitae | 976 | 4.0 | 18 | 1.8 | 534 | 54.7 | 379 | 38.8 | 45 | 4.6 |
| Oak, Red | 884 | 3.6 | 36 | 4.1 | 542 | 61.3 | 261 | 29.5 | 45 | 5.1 |
| Cherry, Ornamental | 839 | 3.4 | 99 | 11.8 | 424 | 50.6 | 198 | 23.6 | 117 | 24.0 |
| Spruce species | 747 | 3.0 | 90 | 12.0 | 414 | 55.4 | 198 | 26.5 | 45 | 6.0- |
| Pine, White | 722 | 2.9 | 36 | 5.0 | 443 | 61.4 | 216 | 29.9 | 27 | 3.7 |
| Linden species | 704 | 2.9 | 9 | 1.3 | 479 | 69.0 | 171 | 24.3 | 45 | 6.4 |
| Maple, Red | 693 | 2.8 | 45 | 6.5 | 351 | 50.6 | 225 | 32.5 | 72 | 10.4 |
| Ash, Green | 657 | 2.7 | 108 | 16.4 | 387 | 58.9 | 153 | 23.3 | 9 | 1.4 |
| Dogwood species | 639 | 2.6 | 126 | 19.7 | 306 | 47.9 | 1.62 | 25.4 | 45 | 7.0 |
| Ronevlocust | 488 | 2.0 | 9 | 1.8 | 443 | 90.8 | 36 | 7.4 | - 10 | .0 |
| Crabapple species | 414 | 2.7 | 27 | 6.5 | 117 | 28.3 | 216 | 52.2 | 54 | 13.0 |
| Ash, White | 360 | 1.5 | 18 | 5.0 | 135 | 37.5 | 135 | 37.5 | 72 | 20.0 |
| Maple, Silver | 351 | 1.4 | 9 | 2.6 | 252 | 71.9 | 72 | 20.5 | 18 | 5.1 |
| Sycamore | 324 | 1.3 | 45 | 13.9 | 144 | 44.4 | 126 | 38.9 | 9 | 2.8 |
| Walnut species | 306 | 1.2 | I.B. | 5.9 | 252 | 82.4 | 36 | 11.9 | 0 | - 0 |
| Maple, Japanese | 261 | 1.1 | 162 | 62.1 | 99 | 37.9 | 0 | .0 | 0 | .0 |
| Elm, American | 261 | 1.1 | 0 | .0 | 171 | 65.5 | 72 | 27.6 | 18 | 6.9 |
| Mulberry species | 225 | . 9 | 0 | . 0 | 117 | 52.0 | 99 | 44.0 | 9 | 4.0 |
| Misc. IV | 171 | . 7 | 18 | 10.5 | 63 | 36.8 | 54 | 31.6 | 36 | 21.1 |
| Cherry, Black | 153 | . 6 | 0 | .0 | 5.9 | 35.3 | 63 | 41.2 | 36 | 23.5 |
| Apple, Fruiting | 126 | . 5 | 27 | 21.4 | 61 | 64.3 | 18 | 14.3 | 0 | . 3 |
| Mountain Ash species | 126 | .5 | 9 | 7.1 | 63 | 50.0 | 45 | 35.7 | 9 | 7.1 |
| Maple, Sycamore | 126 | . 5 | 9 | 7.1 | 45 | 35.7 | 63 | 50.0 | 9 | 7.1 |
| Maple, Sugar | 117 | . 5 | 9 | 7.7 | 99 | 84.6 | 0 | . 0 | 9 | 7.7 |
| Tree-of-Heavan | 108 | . 4 | 0 | . 0 | 81 | 75.0 | 27 | 25.0 | -0 | . 0 |
| Magnolia species | 99 | 1.5 | 45 | 45.5 | 45 | 45.5 | 0 | .0 | 9 | 9.1 |
| Birch, Paper | 99 | . 4 | 36 | 36.4 | 54 | 54.5 | 9 | 9.1 | 0 | 7.0 |
| Locust, Black | 99 | . 4 | 0 | .0 | 81 | B1.8 | 18 | 18.2 | 0 | . 0 |
| Oak, White | 90 | . 4 | 0 | . 0 | 63 | 70.0 | 9 | 10.0 | 18 | 20.0 |
| Juniper species | 81 | . 3 | ē | 21.1 | 63 | 77.8 | 9 | 11.1 | 0 | . 0 |
| Birch, White | 81 | .3 | 9 | 11.1 | 54 | 66.7 | 18 | 22.2 | 0 | .0 |
| Horsechestnut spp. | 63 | | 0 | -0 | 9 | 14.3 | 18 | 28.6 | 36 | 57.1 |
| Hickory species | 63 | . 3 | 9 | 14.3 | 27 | 42.9 | 27 | 42.9 | 0 | .0 |
| Fir, Balsam | 63 | .3 | 9 | 14.3 | 54 | 95.7 | 0 | .0 | Ó | .0 |
| Redcedar, Eastern | 54 45 | .2 | 0 | .0 | 36 | 16.7 | 19 | 33.3 | 27 | 50.0 |
| Pine, Scotch Fruit, Other | 45 | . 2 | 0 | .0 | 27 | 60.0 | 9 | 20.0 | 9 | 20.0 |
| Pear, Bradford | 45 | 1.2 | 0 | .0 | 45 | 100.0 | - | .0 | 0 | 10.0 |
| Misc. II | 36 | . 1 | 0 | .0 | 36 | 100.0 | 0 | .0 | 0 | .0 |
| Pear, Callery | 36 | . 1 | 0 | . 0 | 27 | 75.0 | 0 | .0 | 9 | 25.0 |
| Beech Species | 36 | . 1 | 0 | .0 | 27 | 75.0 | 9 | 25.0 | -0 | .0 |
| Catalpa | 36 | -1 | 0 | .0 | 27 | 75.0 | 0 | .0 | 9 | 25.0 |
| Tuliptree | 36 | . 1 | 0 | .0 | 27 | 75.0 | C | .0 | 9 | 25.0 |
| Birch, Grey | 36 | . 2 | 27 | 75.0 | 0 | . 0 | 9 | 25.0 | 0 | .0 |
| Ash, Black | 27 | . 1 | D | .0 | 9 | 33.3 | 9 | 33.3 | 9 | 33.3 |
| Sweetgum | 27 | . 1 | 9 | 33.3 | 18 | 66.7 | 0 | . 0 | 0 | . 0 |
| Elm, English | 27 | . 1 | 0 | . 0 | 9 | 33.3 | 19 | 66.7 | 0 | .0 |
| Oak, Pin | 27 | . 1 | D | - 0 | 0 | .0 | 27 | 100.0 | 0 | .0 |
| Fir, White | 18 | . 1 | 9 | 50.0 | 9 | 50.0 | 0 | .0 | 0 | .0 |
| Boxelder | 18 | . 2 | 0 | .0 | 9 | 50.0 | 0 | -0 | 9 | 50.0 |
| Hackberry | 18 | , 1 | O | . 0 | | 100.0 | 0 | -0 | 0 | . 0 |
| Pine, Red | 18 | . 1 | 0 | , Q | | 100.0 | 0 | .0 | 0 | .0 |
| Elm, Chineso | 18 | . 1 | 0 | .0 | 18 | 100.0 | 0 | .0 | 0 | . 0 |
| Oak, Swamp White | 9 | .0 | | 100.0 | 0 | .0 | | .0 | 0 | .0 |
| Fir species | 9 | .0 | 0 | | | 100.0 | | -0 | D | |
| Dak, Scarlet | 9 | . 0 | 0 | . D | | 100.0 | 0 | .0 | 0 | .0 |
| Ginkgo | 9 | | | 100.0 | 0. | .0 | | .0. | 0 | |
| Pine, Austrian | 9 | | | 100.0 | 0 | 100.0 | 0 | .0 | 0 | .0 |
| Larch species | 9 | | 0 | .0 | | 100.0 | 0 | .0 | 0 | |
| Pine, Ponderosa | 9 | | 0 | .0 | | 100.0 | 0 | .0 | 0 | .0 |
| Hophornbeam | 9 | .0 | D D | .0 | 0 | .0 | | 100.0 | 9 | 100.0 |
| Redbud, Eastern | 9 | .0 | | | _ | 100 0 | | 100.0 | 0 | .0 |
| Misc. III | 9 | .0 | 0 | .0 | | 100.0 | | .0 | 0 | .0 |
| Willow, Weeping Popler species | 9 | .0 | 0 | | | 100.0 | | .0 | 0 | .0 |
| | | | | | | | | | | |
| Willow, White | 9 | .0 | 0 | | 0 | | | | | 100.0 |

SIZE CLASS SUMMARY - North Arlington

| | TOTAL | | | 0 501 | P | | | CLASS | | 00 71 | 20 | . The |
|----------------------|-------|--|------|-------|-------|--------------|------|--------------|------|--------------|------|-------------|
| SPECIES | NO OF | | | | NO. | 16 IN PCT | NO. | 24 IN PCT | NO. | 32 IN PCT | NO. | + IN PC: |
| SECTION 1 - NORTH | | STREET, SQUARE, SQUARE | NO. | PET | 244. | PUT | 140. | PLE | 21/2 | PCI | 210. | PU |
| Maple, Norway | | 12.8 | 1052 | 37.5 | 1025 | 36.5 | 426 | 15.2 | 190 | 6.4 | 126 | 4.5 |
| Oak. Red | | 26.4 | 18 | 2.9 | 81 | 13.2 | 135 | 22.0 | 199 | 32.4 | | 29.5 |
| | 415 | 20.8 | 27 | 6.5 | .91 | 19.5 | 154 | 37.1 | 135 | 32.5 | 18 | 4.3 |
| Oak, Black | 343 | 7.3 | 262 | 76.4 | 54 | 15.7 | 27 | 7.9 | 0 | .0 | 0 | .0 |
| Cherry, Ornamental | 334 | | 163 | | 108 | 32.3 | 9 | 2.7 | 45 | 13.5 | 9 | 2,7 |
| Pine, White | | 11.7 | | 48.8 | 126 | 37.8 | 54 | 16.2 | 9 | 2.7 | 10 | 5.4 |
| Spruce species | 333 | 12.5 | 126 | 37.8 | | | | | | | 0 | |
| Dogwood apecies | 261 | 6.9 | 139 | 72.4 | 32 | 27.6 | 0 | .0 | 0 | -0 | | |
| Maple, Red | 234 | 18.1 | 72 | 30.8 | 27 | 11.5 | 63 | 26.9 | 45 | 19.2 | 27 | 11.5 |
| Arborvitae | 225 | 7.5 | 144 | 64.0 | 91 | 36.0 | 0 | .0 | 0 | .0 | 0 | .0 |
| Ash, Green | | 13.3 | 54 | 25.0 | 108 | 50.0 | 36 | 16.7 | 0 | 4.2 | 9 | 4.2 |
| Sycamore | | 19,7 | .0 | .0 | 126 | 60.9 | 18 | 8.7 | 1.8 | 8.7 | 45 | 21.7 |
| Crabapple species | 198 | 10.5 | 63 | 31.8 | 117 | 59.1 | 1.8 | 9.1 | 0 | .0 | 0 | , 0 |
| Heslock spp. | 162 | 15.0 | 54 | 33.3 | 36 | 22.2 | 36 | 22.2 | 36 | 22.2 | 0 | .0 |
| Maple, Silver | 144 | 24.3 | 18 | 12.5 | 36 | 25.0 | 0 | . 0 | 45 | 31.3 | 45 | 31.3 |
| Mulberry species | 135 | 8.4 | 90 | 66.7 | 36 | 26.7 | g | . 0 | 9 | 6.7 | 0 | . 0 |
| Ash, White | 117 | 8.8 | 63 | 53.8 | 45 | 38.5 | 0 | 7.7 | 0 | . 0 | 0 | .0 |
| Tree-of-Heavan | 108 | 9.6 | 81 | 75.0 | 9 | 8.3 | 9 | 8.3 | 0 | _ D | 9 | 8.3 |
| Elm. American | 99 | 9.6 | 54 | 54.5 | 27 | 27.3 | 18 | 10.2 | 0 | +0 | 0 | .0 |
| Locust, Black | 99 | 9.3 | 63 | 63.6 | 27 | 27.3 | 9 | 9.1 | Ö | . 0 | 0 | .0 |
| Maple, Sycamore | 90 | 13.5 | 45 | 50.0 | 18 | 20.0 | 9 | 20.0 | 9 | 10.0 | 9 | 10.0 |
| Birch, White | 81 | 12.8 | 45 | 55.6 | 9 | 11.1 | 1.8 | 22.2 | 0 | .0 | 9 | 11.1 |
| Magnolia species | 72 | 6.8 | 54 | 75.0 | 18 | 25.0 | 0 | .0 | 0 | . 0 | 0 | .0 |
| Walnut species | 54 | 13.8 | 27 | 50.0 | 9 | 16.7 | 0 | .0 | 18 | 33.3 | 0 | .0 |
| Linden species | 54 | 25.7 | 0 | .0 | 9 | 16.7 | 9 | 16.7 | 27 | 50.0 | 9 | 16.7 |
| Juniper species | 54 | 5.0 | 54 | 100.0 | 0 | .0 | 0 | .0 | D | .0 | Ó | .0 |
| Misc. IV | 45 | 21.6 | 0 | .0 | G | 20.0 | 18 | 40.0 | 18 | 40.0 | 0 | . 0 |
| | | 6.4 | 36 | 80.0 | 9 | 20.0 | D | .0 | Ď | .0 | 0 | . 0 |
| Mountain Ash species | 45 | 25.2 | 0 | | 9 | 20.0 | 9 | 20.0 | 18 | 40.0 | 9 | 20.0 |
| Maple, Sugar | | | | .0 | 10 | 50.0 | 0 | 10.0 | 0 | 10.0 | 0 | .0 |
| Maple, Japanese | 36 | 8.5 | 16 | 50.0 | 10.10 | | - | | _ | | - | |
| Apple, Fruiting | 36 | 6.8 | 27 | 75.0 | 9 | 25.0 | 0 | .0 | 0 | , 0 | 0 | .0 |
| Fruit, Other | 36 | 8.5 | 18 | 50.0 | 18 | 50.0 | 0 | .0 | 0 | .0 | 0 | .0 |
| Oak, White | 36 | 23.3 | 9 | 25.0 | 9 | 25.0 | 0 | .0 | 0 | .0 | 10 | 50.0 |
| Ash, Black | 27 | 15.0 | 9 | 33.3 | 9 | 33.3 | 0 | .0 | 9 | 33.3 | D | - 0 |
| Honeylocust | 27 | 5.0 | 27 | 100.0 | 0 | .0 | 0 | . 0 | 0 | .0 | 0 | .0 |
| Misc. II | 18 | 5.0 | 18 | 100.0 | 0 | .0 | 0 | . 0 | 0 | .0 | 0 | . 0 |
| Hackberry | 18 | 20.0 | 0 | . 0 | 9 | 50.0 | 0 | . 0 | 9 | 50.0 | 0. | - 5 |
| Birch, Grey | 18 | 5.0 | 18 | 100.0 | 0 | .0 | 0 | .0 | 0 | .0 | 0 | . 0 |
| Tuliptree | 18 | 16.0 | 0 | . 0 | 9 | 50.0 | 9 | 50.0 | 0 | .0 | 0 | . 0 |
| Pear, Bradford | 18 | 9.5 | 9 | 50.0 | 9 | 50.0 | 0 | .0 | 0 | .0 | 0 | 0 |
| Hickory species | 9 | 12.0 | 0 | .0 | 9 | 160.0 | 0 | .0 | 0 | .0 | 0 | . (|
| Horsechestnut spp. | 9 | 28.0 | 0 | .0 | 0 | .0. | 0 | .0 | 9 | 100.0 | 0 | . 0 |
| Beech Species | 9 | 20.0 | 0 | .0 | 0 | .0 | 9 | 100.0 | 0 | .0 | 0 | . 0 |
| Misc. III | 9 | 5.0 | 9 | 100.0 | 0 | .0 | Ó | .0 | 0 | .0 | 0 | . 0 |
| Catalpa | 9 | 5.0 | 9 | 100.0 | 0 | .0 | .0 | .0 | 0 | .0 | 0 | .0 |
| Poplar species | 9 | | Ó | .0 | 9 | 100.0 | 0 | .0 | 0 | -0 | 0 | .0 |
| TOTALS | 7935 | 13.9 | | 38.1 | | 30.5 | 1102 | 13.9 | 847 | 10.7 | 541 | 6.8 |

SIZE CLASS SUMMARY -South Arlington

| TOTALS | | 12.8 | | 44.3 | | 27.0 | 1862 | 15.7 | 921 | 7.8 | 631 | 5.3 |
|----------------------------|------|------|------|-------|------|-------|------|-------|-----|-------|--------|------|
| Willow, White | | 20.0 | 0 | .00.0 | 0 | .0 | 9 | 100.0 | 0 | .0 | 0 | |
| Fir, Balsam | 9 | 5.0 | 9 | 100.0 | Ď | .0 | 0 | .0 | 0 | 0. | 0 | .0 |
| Ginkgo Pine, Ponderosa | 9 | | 0 | .0 | 0 | .0 | B | .0 | 9 | 100.0 | Ö | .0 |
| Willow, Weeping | 9 | 5.0 | 9 | 100.0 | 0 | .0 | Ò | -0 | Ö | .0 | 910 | .0 |
| Larch species | 9 | 38.0 | 0 | 100,0 | 0 | .0 | 0 | .0 | 0 | .0 | 910 | |
| Magnolia species | 9 | 12.0 | 0 | 100.0 | 0 | 100.0 | 0 | .0 | 0 | .0 | 0 | |
| Fir species | 9 | | 0 | .0 | 0 | .00 | 9 | 100.0 | 0 | .0 | 0 | - 1 |
| Hophornbeam | 9 | | 0 | .0 | 9 | 100.0 | 0 | 0. | 0 | .0 | 0 | |
| Catalpa | 18 | | 0 | .0 | 0 | .0 | 0 | .0 | 9 | 50.0 | | .0. |
| Fir, White | 18 | 8.5 | 9 | 50.0 | 9 | 50.0 | 0 | .0. | 0 | .0 | 0 | |
| Boxelder | 18 | 5.0 | 18 | 100.0 | 0 | .0. | 0 | .0 | 0 | .0 | 0 | 4 |
| Culiptree | 18 | 8.5 | 9 | 50.0 | 9 | 50.0 | 0 | .0 | 0 | .0 | 0 | п |
| Beech Species | 18 | 21.5 | 9 | 50.0 | 0 | .0 | 0 | .0 | 0 | -0 | - | 0. |
| Misc. II | 18 | 5.0 | 1.8 | 100.0 | 0 | .0 | 0 | -0 | 0 | . 0 | 0 | |
| Elm, Chinese | 18 | 20.0 | D | .0 | 9 | 50.0 | 0 | -0 | 9 | 50.0 | 0 | - |
| Elm, English | 27 | 9.7 | 9 | 33.3 | 18 | 66.7 | 0 | .0 | 0 | -0 | 0 | - |
| Sweetgum | 27 | 12.7 | 18 | 66.7 | 0 | 0 | 0 | .0 | 9 | 33.3 | 0 | - |
| Pear, Bradford | 27 | 12.0 | 0 | .0 | 27 | 100.0 | 0 | .0 | 0 | - 0 | 0 | - |
| Dak, Pin | 27 | 22.7 | 0 | . 0 | 0 | .0 | 18 | 66.7 | 9 | 31.3 | G | |
| Juniper species | 27 | 7.3 | 19 | 66.7 | 9 | 33.3 | 0 | . 0 | -0 | , 0 | 0 | - |
| Pear, Callery | 36 | 12.3 | 9 | 25.0 | 18 | 50.0 | -9 | 25.0 | 0 | . 0 | 0 | 4 |
| Dak, White | 54 | 24.0 | 1.8 | 33.3 | 0 | .0 | 9 | 16.7 | 0 | .0 | | 0. |
| ledcedar, Eastern | 54 | 6.2 | 45 | 83.3 | 9 | 16.7 | 0 | .0 | 0 | .0 | 0 | |
| Horsechestaut spp. | 54 | 31.3 | 0 | .0 | Q. | . 0 | | .0 | 36 | 66.7 | | 3. |
| Hickory species | 54 | 12.3 | 18 | 33.3 | 18 | 33.3 | 19 | 33.3 | 0 | .0 | 0 | |
| Mountain Ash species | s 63 | 7.0 | 45 | 71.4 | 18 | 29.6 | D | .0 | 0 | .0 | 0 | 11 |
| Maple, Sugar | 72 | 12.8 | 36 | 50.0 | 18 | 25.0 | .9 | 12.5 | 0 | .0 | | 2. |
| Apple, Fruiting | 72 | 11.3 | 18 | 25.0 | 45 | 62.5 | 9 | 12.5 | 0 | .0 | 0 | . 1 |
| Sycamore | 7.2 | 13.1 | 9 | 12.5 | 54 | 75.0 | 0 | .0 | 9 | 12.5 | 0 | . [|
| fulberry species | 81 | 9.8 | 36 | 44.4 | 36 | 44.4 | 9 | 11.2 | 0 | . 0 | 0 | . (|
| Birch, Paper | 99 | 6.9 | 72 | 72.7 | 27 | 27.3 | Ó | .0 | 0 | . 0 | 0 | 11 |
| disc. IV | 117 | 11.8 | 4.5 | 38.5 | 36 | 30.0 | 36 | 30.8 | 0 | .0 | 0 | 1,0 |
| foneylocust | 117 | 9.7 | 7.2 | 61.5 | 36 | 30.8 | 0 | .0 | 0 | .0 | 9 | 7. |
| Im. American | 144 | 13.3 | 72 | 50.0 | 27 | 18.8 | 27 | 18.8 | 0 | .0 | 18 1 | 2.5 |
| Linden species | 153 | 19.1 | 9 | 5.9 | 27 | 17.6 | 90 | 50.8 | 27 | 17.6 | 0 | . (|
| Cherry, Black | 153 | 7.2 | 126 | 82.4 | 9 | 5.9 | 18 | 11.8 | 0 | .0 | .0 | ., [|
| daple, Silver | 180 | 25.8 | 9 | 5.0 | 27 | 15.0 | 27 | 15.0 | 7.2 | 40.0 | | 5.0 |
| Valnut species | 180 | 9.7 | 90 | 50.0 | 63 | 35.0 | 27 | 15.0 | 0 | .0 | 0 | .1 |
| Ash, Green | 189 | 9.6 | 108 | 57.1 | 63 | 33.3 | G | 4.8 | G | 10 | 9 | 4.8 |
| Maple, Japanese | 198 | 8.9 | 99 | 50.0 | 90 | 45.5 | 9 | 4.5 | D | .0 | Ø | . (|
| Trabapple species | 198 | 8.5 | 100 | 54.5 | 81 | 40.9 | 9 | 4.5 | 0 | . 0 | 0 | . 0 |
| Dogwood species | 234 | 7.2 | 171 | 73.1 | 54 | 23.1 | 9 | 3.8 | 0 | . 0 | 0 | . 0 |
| Dak, Red | 243 | 20.6 | 54 | 22.2 | 27 | 11.1 | 72 | 29.6 | 45 | 18.5 | 45 1 | 8.5 |
| Ash, White | 243 | 15.4 | 81 | 33.3 | 63 | 25.9 | 45 | 18.5 | 36 | 14.8 | | 2.4 |
| Spruce species | 288 | 13.6 | 90 | 31.3 | 117 | 40.6 | 36 | 12.5 | 36 | 12.5 | | 3.1 |
| daple. Red | 360 | 16.8 | 135 | 37.5 | 45 | 12.5 | 81 | 22.5 | 54 | 15.0 | | 7 5 |
| Pine, White | 370 | 13.5 | 145 | 39.2 | 126 | 34.1 | 36 | 9.7 | 36 | 9.7 | | 7.3 |
| herry, Ornamental | 378 | 7.0 | 288 | 76.2 | 72 | 19.0 | 19 | 4.8 | 0 | .0 | Ö | , 0 |
| Arborvitae | 686 | 6.8 | 544 | 79.1 | 126 | 18.3 | 9 | 1.3 | 9 | 1.3 | 0 | .0 |
| Dak, Black Hemlock app. | 706 | 9.3 | 344 | 48.7 | 308 | 43.6 | 45 | 6.4 | 9 | 1.3 | 0 | |
| Anta Ditanta | 839 | 20.4 | 180 | 21.5 | 126 | 15.0 | 198 | 23.6 | 199 | 23.7 | 135 16 | 6.1 |
| taple, Norway | 4837 | 12,7 | 2043 | 42.2 | 2224 | 27.6 | 962 | 19.9 | 308 | 6.4 | 190 | 3.9 |

SIZE CLASS SUMMARY: Town-wide

| | TOTAL | | | | | | SIZE | CLASS | | | |
|--|-------|------|------|-------|------|-------|------|-------|-----|-------|---------|
| | | AVE. | 1- | B IN | 9- | 16 IN | | 24 IN | | 32 IN | 32+ I |
| SPECIES | TREES | DIA. | NO. | PCT | NO. | PCT | NO. | PCT | NO. | PCT | NO. P |
| | 10002 | 12.9 | 3566 | 35.7 | 3475 | | 2031 | 20.3 | 614 | 6.1 | 316 3. |
| Oak, Black | 1253 | 20.5 | 207 | 16.5 | 207 | 16.5 | 352 | 20.1 | 334 | 26.7 | 153 12. |
| Hemlock spp. | 1021 | 9.9 | 497 | 49.7 | 398 | 39.0 | 91 | 7.9 | 45 | 4.4 | 0 . |
| Arborvitae | 976 | 6.8 | 751 | 76.9 | 207 | 21.2 | 9 | . 0 | 9 | . 9 | 0 . |
| Oak, Red | 884 | 24.4 | 72 | 8.1 | 126 | 14.3 | 216 | 24.4 | 244 | 27.6 | 226 25. |
| Cherry, Ornamental | 838 | 7.1 | 640 | 75.4 | 153 | 18.3 | 45 | 5.4 | 0 | .0 | 0 . |
| Spruce species | 747 | 12.0 | 324 | 43.4 | 243 | 32.5 | 1.09 | 14.5 | 45 | 6.0 | 27 3. |
| Pine, White | 722 | 12.6 | 308 | 42.7 | 252 | 34.9 | 45 | 6.2 | 81 | 11.2 | 36 5. |
| Linden species | 704 | 19.6 | 13 | 2.6 | 189 | 26.8 | 329 | 46.2 | 163 | 23.2 | 9 1. |
| The state of the s | 693 | 15.9 | 279 | 40.3 | 90 | | | | | | |
| Maple, Red | | | | | | 13.0 | 153 | 22.1 | 99 | 14.3 | 72 10. |
| Ash, Green | 657 | 11.1 | 238 | 43.8 | 243 | 37.0 | 9.9 | 15.1 | 9 | 1.4 | 18 2. |
| Dagwood species | 639 | 7.0 | 468 | 73.2 | 162 | 25.4 | 9 | 2 - 4 | 0 | .0 | 0 . |
| Honeylocust | 4.88 | 8.2 | 307 | 62.9 | 163 | 33.4 | 9 | 1.8 | 0 | .0 | 9. 1. |
| Crabapple species | 414 | 9.6 | 171 | 41.3 | 216 | 52.2 | 27 | 6.5 | 0 | . 0 | 0 . |
| Ash, White | 360 | 13.3 | 144 | 40.D | 108 | 30.0 | 54 | 15.D | 36 | 10.0 | 18 5. |
| Maple, Silver | 351 | 24.1 | 36 | 10.3 | 7.2 | 20.5 | 36 | 10.3 | 117 | 33.3 | 90 25. |
| Sycamore | 324 | 17.6 | 9 | 2.8 | 207 | 63.9 | 36 | 11.1 | 27 | 8.3 | 45 13. |
| Walnut species | 306 | 9.7 | 171 | 55.9 | 90 | 29.4 | 27 | 8.8 | 18 | 5.9 | 0 . |
| Maple, Japanese | 261 | 8.7 | 135 | 51.7 | 117 | 44.8 | 9 | 3.4 | 0 | .0 | 0 . |
| Elm, American | 261 | 12.3 | 126 | 48.3 | 54 | 20.7 | 63 | 24.1 | 0 | . 0 | 18 6. |
| Mulberry species | 225 | 8.8 | 135 | 60.0 | 72 | 32.0 | 9 | 4.0 | 9 | 4.0 | 0 . |
| Misc. IV | 171 | 14.0 | 54 | 31.6 | 45 | 26.3 | 54 | 31.6 | 1.8 | 10.5 | 0 . |
| Cherry, Black | 153 | 7.2 | 126 | 62.4 | | 5.9 | | | | | |
| | | | | 50.0 | 9 | | 19 | 11.8 | 0 | .0 | 0 . |
| Apple, Fruiting | 126 | 9.1 | 53 | | 54 | 42.9 | 9 | 7.1 | 0 | .0 | 0 . |
| Mountain Ash species | | 6.5 | 99 | 78.6 | 27 | 21.4 | 0 | 0 | 0 | .0 | 0 . |
| Maple, Sycamore | 326 | 19,1 | 45 | 35.7 | 18 | 14.3 | 9 | 7.1 | 27 | 21,4 | 27 21. |
| Maple, Sugar | 117 | 17.5 | 36 | 30.8 | 27 | 23.1 | 18 | 15.4 | 18 | 15.4 | 18 15. |
| Tree-of-Heavan | 108 | 9.6 | 81 | 75.0 | 9 | 8.3 | 9 | 8.3 | 0 | - 0 | 9 8. |
| Magnolia species | 99 | 7.5 | 63 | 63.6 | 36 | 36.4 | 0 | -0 | 0 | .0 | 0 . |
| Birch, Paper | 99 | 6.9 | 7.2 | 72.7 | 27 | 27.3 | - 0 | .0 | 0 | .0 | 0 : |
| Locust, Black | 99 | 8.3 | 63 | 63.6 | 27 | 27.3 | 9 | 9.1 | 0 | .0 | 0 . |
| Oak, White | | 23.7 | 27 | 30.0 | 9 | 10.0 | 9 | 10.0 | Ö | .0 | 45 50. |
| Juniper species | 81 | 5.6 | 7.2 | 88.9 | 9 | 11.1 | 0 | .0 | 0 | .0 | 0 . |
| Birch, White | 81 | 12,8 | 45 | .55.6 | . 9 | 11.1 | 1.8 | 22.2 | 0 | .0 | 9 11. |
| Horsechestnut spp. | | 30.9 | 0 | .0 | 0 | .0 | Ö | .0 | 45 | 71.4 | 19 28. |
| Hickory species | 63 | 12.3 | 18 | 28.6 | 27 | 42.9 | 19 | 20.6 | 0 | .0 | 0 . |
| Fiz, Balsam | 63 | 5.0 | 63 | 100.0 | 0 | .0 | Ö | .0 | ő | .0 | ő . |
| Redcedar, Eastern | 54 | 6.2 | 45 | 83.3 | 9 | 16.7 | Ď | | 0 | | |
| | | | | | | | | .0 | | - 0 | 0 . |
| Pine, Scotch | 45 | 5.0 | 45 | 100.0 | 0 | .0 | D | .0 | 0 | .0 | 0 . |
| Fruit, Other | 4.5 | 7.9 | 27 | 60.0 | 18 | 40.0 | 0 | . 0 | 0 | - 0 | ٥. |
| Pear, Bradford | 45 | 10.6 | 9 | 20.0 | 36 | 80.0 | 0 | . 0 | D | .0 | 0 . |
| Misc. II | 36 | 5.0 | 36 | 100.0 | D | . 0 | 0 | . 0 | 0 | . 0 | 0 . |
| Pear, Callery | 36 | 12.3 | 5 | 25.0 | 18 | 50.0 | 9 | 25.0 | 0 | .0 | 0 . |
| Beech Species | 36 | 17.0 | 1.9 | 50.0 | 0 | . 0 | 9 | 25.0 | 0 | .0 | 9 25. |
| Catalpa | 36 | 20.8 | 9 | 25.0 | 9 | 25.0 | .0 | .0 | . 9 | 25.0 | 9 25. |
| Tuliptree | 36 | 12.3 | 9 | 25.0 | 18 | 50.0 | 9 | 25.0 | 0 | .0 | 0 . |
| Birch, Grey | 36 | 16.5 | 18 | 50.0 | 0 | . 0 | 0 | .0 | 1.8 | 50.0 | 0 , |
| Ash, Black | 27 | 15.0 | 9 | 33.3 | 9 | 33.3 | 0 | .0 | 9 | 33.3 | 0 . |
| Sweetgum | 27 | 12.7 | 18 | 66.7 | 0 | .0 | 0 | .0 | . 9 | 33.3 | 0 . |
| Elm, English | 27 | 9,7 | 9 | 33.3 | 18 | 66.7 | D | .0 | 0 | .0 | 0 . |
| Oak, Fin | 27 | 22.7 | 0 | .0 | 0 | .0 | 18 | 66.7 | 9 | 33.3 | 0 . |
| Fir, White | 18 | 8.5 | 9 | 50.0 | 9 | 50.0 | 0 | .0 | 0 | .0 | |
| Boxelder | 18 | 5.0 | 18 | 100.0 | 0 | | | | | | |
| Hackberry | 18 | 20.0 | | | | .0 | 0 | . 0 | 0 | .0 | 0 . |
| | | | 0 | ,0 | 9 | 50.0 | 0 | . 0 | 9 | 50.0 | 0 . |
| Pine, Red | 18 | 5.0 | | 100.0 | 0 | .0 | 0 | .0 | 0 | .0 | 0 . |
| Elm, Chinese | 10 | | 0 | .0 | 9 | 50.0 | 0 | .0 | 9 | 50.0 | 0 . |
| Oak, Swamp White | | 5.0 | | 100.0 | 0 | | | -0 | 0 | -0 | 0 . |
| Fir species | | 20.0 | | .0 | 0 | | | 100.0 | 0 | | 0 . |
| Oak, Scarlet | | 20.0 | 0 | | 0 | | 9 | 100.0 | 0 | .0 | 0 . |
| Glakgo | 9 | 5.0 | 9 | 100.0 | .0 | . 0 | 0 | .0 | 0 | .0 | 0 . |
| Pine, Austrian | | 5.0 | 9 | 100.0 | 0 | . 0 | 0 | .0 | 0 | .0 | 0 . |
| Larch species | | 5.0 | | 100.0 | 0 | | 0 | .0 | | .0 | 0 |
| Pine, Ponderosa | | 28.0 | 0 | | 0 | | 0 | 10 | | 100.0 | 0 . |
| Hophornbeam | | 12.0 | 0 | | | 100.0 | 0 | .0 | | .0 | 0 . |
| Redbud, Eastern | | 5.0 | | 100.0 | ő | .0 | | .0 | | .0 | ő . |
| Misc. III | | 5.0 | | 100.0 | 0 | .0 | 0 | .0 | | | |
| Willow, Weeping | | 38.0 | 0 | | | | | | | -0 | |
| | | 12.0 | | | 0 | 0.00 | 0 | | | 8.42 | 9100. |
| Poplar species Willow, White | | | | | | 100.0 | 0 | | | .0. | |
| | 19 | 20.0 | 0 | .0 | 12 | | 9 | 16.3 | 0 | - 0 | 0 . |

SIZE CLASS SUMMARY -East Arlington

| TOTALS | 4709 | 12.3 | 1660 | 35.3 | 1738 | 36.9 | 1022 | 21.7 | 271 | 5.8 | 18 | . 4 |
|----------------------|------|-------|------|-------|------|-------|------|-------|-----|-------|----|------|
| Mulberry species | 9 | | | 100.0 | . 0 | .0 | 0 | . 0 | 0 | .0 | 0 | .0 |
| Misc. IV | | | 9 | 100.0 | 0 | .0 | 0 | . 0 | 0 | .0 | 0 | . 0 |
| Redbud, Eastern | 9.9 | 5.0 | 9 | 100.0 | 0 | .0 | 0 | . 0 | 0 | -0 | 0 | - 0 |
| Fruit, Other | 9 | 5.0 | 9 | 100.0 | 0 | .0 | 0 | .0 | 0 | .0 | 0 | . D |
| Oak, Swamp White | 9 | 5.0 | 9 | 100.0 | 0 | .0 | 0 | .0 | 0 | .0 | 0 | .0 |
| Oak, Scarlet | 9 | 20.0 | 0 | .0 | Û | .0 | 9 | 100:0 | 0 | .0 | 0 | .0 |
| Catalpa | | 12.0 | 0 | .0 | 9 | 100.0 | 0 | . 0 | 0 | .0 | 0 | .0 |
| Beech Species | 9 | 5.0 | 9 | 100.0 | 0 | .0 | 0 | , 0 | 0 | .0 | 0 | .0 |
| Pine, Austrian | 9 | 5.0 | 9 | 100.0 | 0 | .0 | 0 | .0 | 0 | .0 | 0 | .0 |
| Elm, American | 18 | 20.0 | 0 | .0 | 0 | .0 | 18 | 200.0 | 0 | .0 | 0 | .0 |
| Pine, Red | 18 | 5.0 | 18 | 100.0 | 0 | .0. | -0 | .0 | 0 | -0 | 0 | . 0 |
| Mountain Ash species | 1.9 | 5.0 | 18 | 100.0 | 0 | .0 | 0 | .0 | 0 | .0 | 0 | .0 |
| Apple, Fruiting | 18 | 5.0 | 18 | 100.0 | D | ٠.0 | Ü | . 0 | 0 | .0 | 0 | . 0 |
| Crobapple species | 18 | 12.0 | 0 | .0 | 19 | 100.0 | 0. | . 0 | 0 | . 0 | 0 | .0 |
| Blach, Grey | 18 | 28.0 | 0 | .0 | O | .0 | 0 | , 0 | 10 | 100.0 | 0 | . 0 |
| Pine, White | 18 | 12.0 | 0 | .0 | 18 | 100.0 | - 0 | .0 | 0 | .0 | 0 | .0 |
| Magnolia species | 1.8 | 8.5 | 9. | 50.0 | 9 | 50.0 | 0 | .0 | 0 | .0 | 0 | .0 |
| Oak, Red | 27 | 14.7 | 0 | . 0 | 18 | 66.7 | 9 | 33.3 | 0 | .0 | 0 | . 0 |
| Maple, Silver | 27 | 12.3 | 9 | 33,3 | 9 | 33.3 | 9 | 33.3 | 0 | .0 | D | .0 |
| Maple, Japanese | 27 | 7.3 | 18 | 66.7 | -9 | 33.3 | Ď. | .0 | 0 | .0 | 0 | . 0 |
| Maple, Sycamore | 36 | 33.0 | 0 | | 0 | .0 | 0 | .0 | 18 | 50.0 | 18 | 50.0 |
| Sycamore | 45 | 15.2 | 0 | .0 | 27 | 60.0 | 19 | 40.0 | 0 | .0 | 0 | .0 |
| Pine, Scotch | 4.5 | 5.0 | 45 | 100.0 | 0 | .0 | 0 | .0 | 0 | .0 | 0 | .0 |
| Fir, Balsam | 54 | 5.0 | 54 | 100.0 | 0 | .0 | 0 | . 0 | 0 | .0 | 0 | .0 |
| Arborvitae | 63 | 5.0 | 63 | 100.0 | 0 | .0 | 0 | . 0 | 0 | .0 | 0 | .0 |
| Walnut species | 72 | 6.8 | 54 | 75.0 | 18 | 25.0 | -0 | . 0 | 0 | .0 | 0 | .0 |
| Maple, Red | 99 | 7.6 | 72 | 72.7 | 19 | 18.2 | 9 | 9.1 | 0 | .0 | 0 | -0 |
| Cherry, Ornamental | 117 | 6.6 | 90 | 76.9 | 27 | 23.1 | 0 | .0 | 0 | . 0 | 0 | - 0 |
| Spruce species | 126 | 7.1 | 108 | 85.7 | 0 | .0 | 18 | 14.3 | 0 | . 0 | 0 | . 0 |
| Dogwood species | 144 | 6.8 | 108 | 75.0 | 36 | 25.0 | 0 | 0 | 200 | . 0 | 0 | -0 |
| Hemlock spp. | 153 | 7.5 | 99 | 64.7 | 54 | 35.3 | 0 | .0 | 0 | .0 | 0 | .0 |
| Ash, Green | 252 | 10.2 | 126 | 50.0 | 72 | 28.6 | 54 | 21.4 | 0 | .0 | 0 | .0 |
| Honeylacust | 344 | 8.0 | 208 | 60.5 | 127 | 36.9 | 9 | 2.6 | 0 | .0 | 0 | .0 |
| Linden species | | 19.0 | 9 | 1.8 | 153 | 30.8 | 226 | 45.5 | 109 | 21.9 | 0 | |
| | 4.00 | 4 6 6 | - | 4 4 | 1 | 47.4 | | 27.3 | 126 | 5.3 | 0 | . 0 |

SPECIES COMPOSITION LIST & VALUE - North Arlington

| DESIRABILITY | | PCT OF | | | | N CLASSES | | |
|----------------------|--------|--------|-------|------------|-------|------------|------|----------|
| CLASS | | TOTAL | | EXCEL. | GOOD | CLASS TOTA | | VALUE |
| Curas | INDES | TREES | (IN.) | Edviction. | GOOD | PAIR | POOR | \$1000 |
| CLASS I | | | | | | | | |
| Oak, Red | 614 | 7.7 | 26.4 | 2.9 | 64.8 | 26.4 | 5.9 | 6396 |
| Arborvitae | 225 | 2.8 | 7.5 | 4.0 | 32.0 | 64.0 | .0. | 160 |
| Hemlock spp. | 162 | 2.0 | | 5.6 | 83.3 | 5.6 | 5.6 | 723 |
| Maple, Sugar | 45 | . 6 | 25.2 | .0 | 80.0 | .0 | 20.0 | 397 |
| Oak, White | 36 | .5 | 23.3 | .0 | 75.0 | | | |
| TOTALS | 1082 | 13.6 | 20.6 | 3.3 | 61.7 | 25.0 | 5.0 | 339 |
| | | | | 01.5 | 94.1 | 23.3 | 3.0 | dora |
| CLASS II | | | | | | | | |
| Maple, Norway | 2809 | | 12.0 | . 3 | 55.5 | 30.9 | 13.2 | 5705 |
| Oak, Black | 415 | 5.2 | 20.8 | .0 | 63.1 | 34.7 | 2.2 | 2177 |
| Cherry, Ornamental | 343 | 4.3 | 7.3 | 10.5 | 42.3 | 28.9 | 18.4 | 195 |
| Pine, White | 334 | 4.2 | 11.7 | .0 | 70.4 | 21.6 | 8.1 | 798 |
| Spruce species | 333 | 4.2 | 12.5 | 24.3 | 43.2 | 27.0 | 5.4 | 879 |
| Dogwood species | 261 | | 6.9 | 17.2 | 44.8 | 27.6 | 10.3 | 153 |
| Maple, Red | 234 | 2,9 | 18.1 | 7.7 | 46.2 | 30.8 | 15.4 | 1064 |
| Ash, Green | 216 | 2.7 | 13.3 | 4.3 | 58.3 | | | |
| Sycamore | 207 | | | | | 37.5 | .0 | 495 |
| | | | | 0,0 | 39.1 | 60.9 | .0 | 1001 |
| Crabapple species | 198 | | | 9.1 | 18.2 | 59.1 | 13.6 | 208 |
| Elm, American | 99 | | 9.6 | -0 | 63.6 | 36.4 | -0 | 132 |
| Maple, Sycamore | 90 | | | 10.0 | 10.0 | 70.0 | 10.0 | 222 |
| Walnut species | 54 | . 7 | 13.9 | .0 | 100.0 | . 0 | -0 | 190 |
| Linden species | 54 | . 7 | 25.7 | 16.7 | 50.0 | 33.3 | .0 | 496 |
| Mountain Ash species | 4.5 | . 6 | 6.4 | .0 | 40.0 | 40.0 | 20.0 | 12 |
| Honeylocust | 27 | . 3 | 5.0 | . 0 | 100.0 | .0 | .0 | 6 |
| Misc. II | 18 | . 2 | 5.0 | .0 | 100.0 | .0 | .0 | 5 |
| Tuliptree | 18 | . 2 | 16.0 | .0 | 50.0 | .0 | 50.0 | 27 |
| Hickory species | 9 | | 12.0 | 100.0 | .0 | .0 | | |
| Beech Species | 9 | | 20.0 | .0 | 100.0 | .0 | .0 | 20 42 |
| TOTALS | 5773 | | 13.1 | 4.2 | 52.8 | 32.5 | 10.5 | 13817 |
| CLASS III | | | | | | | | |
| Mulberry species | 135 | 1.7 | 8.4 | 0 | 40.0 | 53.3 | | |
| Ash, White | 117 | 1.5 | | 7.0 | 40.0 | | 6.7 | 91 |
| Locust, Black | 99 | | 8.8 | 7.7 | 76.9 | 7.7 | 7.7 | 90 |
| | | 1.2 | 8.3 | . D. | 81.8 | 18.2 | .0 | 75 |
| Birch, White | 81 | 1.0 | | 11.1 | 66.7 | 22.2 | , 0 | 166 |
| Magnolia species | 72 | - 9 | 6.0 | 50.0 | 37.5 | | 12.5 | 35 |
| Juniper species | 54 | . 7 | 5.0 | .0 | 83.3 | 16.7 | .0 | 11 |
| Maple, Japanese | 36 | . 5 | 8.5 | 50.0 | 50.0 | .0 | .0 | 30 |
| Apple, Fruiting | 36 | - 5 | 6.8 | .0 | 75.0 | 25.0 | .0 | 1.6 |
| Fruit, Other | 36 | .5 | 8.5 | .0 | 50.0 | 25.0 | 25.0 | 17 |
| Ash, Black | 27 | . 3 | 15.0 | .0 | 33.3 | 33.3 | 33.3 | 55 |
| Hackberry | 18 | . 2 | 20.0 | . 0 | 100.0 | .0 | .0 | 73 |
| Birch, Grey | 18 | . 2 | 5.0 | 50.0 | ,0 | 50.0 | .0 | 3 |
| Pear, Bradford | 18 | .2 | 8.5 | .0 | | | | |
| Horsechestnut spp. | 9 | . I | | .0 | 100.0 | .0 | .0 | 13 |
| Misc. III | 9 | | 5.0 | | 100.0 | .0 | .0 | 62 |
| Catalpa | 9 | -1 | 6.0 | .0 | 100.0 | .0 | .0 | 2 |
| TOTALS | 774 | 9.8 | 9.0 | 10.5 | 100.0 | .0 | .0 | 2 |
| | F 7 94 | 2.9 | 3.0 | 10.0 | 62.8 | 20.9 | 5.9 | 752 |
| CLASS IV | | | | | | | | |
| Maple, Silver | 144 | 1.8 | 24.3 | .0 | 62.5 | 31.3 | 6.3 | 506 |
| Tree-of-Heavan | 109 | | 9.6 | .0 | 75.0 | 25.0 | .0 | 87 |
| Misc. IV | 45 | | | 20.0 | 80.0 | .0 | .0 | 135 |
| Poplar species | 9 | . 1 | 12.0 | .0 | 100.0 | ,0 | .0 | |
| TOTALS | 306 | 3.9 | 18.3 | 2.9 | 70.6 | 23.5 | 2.9 | 737 |
| WOMEN TO | 8000 | | | | | | | |
| TOTALS | 7935 | 100.0 | 13.9 | 4.7 | 55.7 | 30.7 | 9.0 | 23320 |

| | | | | | | | | Arlington |
|---|---|--|--|--|--|--|--|--|
| CLASS I | 776 | | 2.5 | | | 20 0 | 15.5 | 1822 |
| Hemlock spp. | 706 | 2.9 | 9.3 | 0.4 | 51.4 | 32.0 | 10.2 | 1033 |
| Arborvitae | 000 | 2.8 | 5.6 | 1.3 | 50.0 | 39.2 | 0.0 | 1961 |
| Dak, Red | 293 | 6.0 | 20.6 | 10 6 | 01.9 | 90.1 | 3.7 | 218 |
| Mapie, Sugar | 3.6 | 10 | 21.0 | 0 | 66.7 | | 23.3 | 632 |
| Oak Sin | 22 | 9 | 22.0 | -0 | 00.7 | 200.0 | 22.2 | 135 |
| Elm Poollah | 27 | . 2 | 9.7 | 0 | 33.3 | 66.7 | .0 | 27 |
| Ginkan | 9 | .1 | 5.0 | 100.0 | . 0 | .0 | .0 | 4 |
| CLASS I Hemlock spp. Arborvitae Oak, Red Maple, Sugar Oak, White Oak, Fin Elm, English Ginkgo TOTALS | 1826 | 15.4 | 10.6 | 4.4 | 54.5 | 33.1 | 7.9 | 4411 |
| CIAGG IT | | | | | | | | |
| Manle Norway | 4837 | 40.8 | 12.7 | - 5 | 30.4 | 89.9 | 9.4 | 10487 |
| Oak. Black | 838 | 7.1 | 20.4 | .0 | 36.5 | 49.5 | 14.0 | 4027 |
| Cherry, Ornamental | 378 | 3.2 | 7.0 | 11.9 | 59.5 | 19.0 | 9.5 | 251 |
| Pine. White | 370 | 3.1 | 13.5 | 4.9 | 56.2 | 38.9 | .0 | 1022 |
| Maple, Red | 360 | 3.0 | 16.8 | 5.0 | 50.0 | 40.0 | 5.0 | 1594 |
| Spruce species | 288 | 2.4 | 13.6 | 3.1 | 53.1 | 37.5 | 6.3 | 731 |
| Dogwood species | 234 | 2.0 | 7.2 | 26.9 | 53.8 | 15.4 | 3.8 | 187 |
| Crabapple species | 198 | 1.7 | 8.5 | 4.5 | 40.9 | 45.5 | 9.1 | 160 |
| Ash, Green | 189 | 1.6 | 9.6 | 19.0 | 61.9 | 19.0 | .0 | 263 |
| Walnut species | 180 | 1.5 | 9.7 | 5.0 | 75.0 | 20.0 | .0 | 253 |
| Linden species | 153 | 1.3 | 19.1 | .0 | 64.7 | 29.4 | 5.9 | 644 |
| Elm, American | 144 | 1.2 | 13.3 | .0 | 62.5 | 25.0 | 12.5 | 465 |
| Koneylocust | 117 | 1.0 | 9.7 | 7.7 | 84.5 | 7.7 | .0 | 235 |
| Birch, Paper | 99 | . 8 | 6.9 | 36.4 | 54.5 | 9.1 | .0 | 71 |
| Sycamore | 7.2 | . 0 | 13.1 | 50.0 | 37.5 | .0 | 12.5 | 196 |
| Mountain Ash species | 6.3 | . 5 | 7.0 | 14-3 | 62.9 | 42.9 | . 0 | 32 |
| Hickory species | 34 | . 5 | 12.3 | . 0 | 30.0 | 50.0 | 26.0 | 444 |
| rear, Callery | 22 | 43 | 12.3 | 33.3 | ## 7 | . 0 | 23.0 | 9.3 |
| Sweetgum Fin Chinasa | 10 | 1 2 | 20.0 | 33.3 | 100.0 | . 0 | .0 | 00 |
| Miss If | 18 | 2 | 5.0 | 6 | 100.0 | 0 | .0 | 5 |
| Beach Charles | 1.9 | 7 4 | 21 6 | 0 | 50.0 | 50.0 | .0 | 101 |
| Tulintree | 18 | . 5 | R 5 | .0 | 100.0 | .0 | .0 | 17 |
| Pir. White | 18 | . 2 | B.5 | 50.0 | 50.0 | .0 | . 0 | 18 |
| Fir species | 9 | . 1 | 20.0 | .0 | 100.0 | .0 | .0 | 42 |
| Larch species | 9 | . 1 | 5.0 | .0 | 0.001 | -0 | .0 | 2 |
| TOTALS CLASS II Maple. Norway Oak, Black Cherry, Ornamental Pine, White Maple. Red Spruce species Ocywood species Crabapple species Ash, Green Walnot species Linden species Linden species Linden species Linden species Slm, American Moneylocust Birch, Paper Sycamore Moountain Ash species Hickory species Pear, Callery Sweetgum Elm, Chinese Mist. If Beech Species Tuliptree Fir, White Fir species Larch species Larch species TOTALS CLASS III | 8745 | 73.7 | 13.0 | 3.8 | 40.7 | 47.3 | 8.2 | 21156 |
| CLASS III | | | | | | | | |
| Ash, White | 243 | 2.0 | 15.4 | 3.7 | 18.5 | 91.9 | 25.9 | 472 |
| Maple, Japanese | 198 | 1.7 | 8.9 | 63.5 | 36.4 | .0 | .0 | 202 |
| Cherry, Black | 1.53 | 1.3 | 7.2 | .0 | 35.3 | 41.2 | 23.5 | 73 |
| Mulberry species | 91 | . 7 | 9.8 | .0 | 66.7 | 33.3 | .0 | 76 |
| Apple, Fruiting | 72 | + 6 | 11.3 | 12.5 | 75.0 | 12.5 | .0 | 92 |
| Horsechestnut spp. | 54 | 15 | 31.3 | .0 | .0 | 33.3 | 66.7 | 200 |
| Kodcedar, Eastern | | | | | | | | 1.4 |
| Non-Steel Control of | 54 | 9.00 | 0.2 | 22.2 | 10.7 | 33.3 | 20.0 | 1.6 |
| Juniper species | 27 | .2 | 7.3 | 33.3 | 66.7 | .0 | .0 | 15 |
| Juniper species Pear, Bradford | 27 | .2 | 7.3 | 33.2 | 66.7 | .0 | .0 | 15 |
| Juniper species Pear, Bradford Catalpa | 27 27 18 | .2 | 7.3 12.0 33.0 | 33.2 | 66.7 100.0 50.0 | .0 | .0 .0 50.0 | 15 34 132 |
| Juniper species Pear, Bradford Catalpa Hopphornbeam | 27 27 18 9 | .2 | 7.3 12.0 33.0 12.0 | 33.2 | 66.7 100.0 50.0 | .0 | 50.0 | 15 34 132 3 |
| Juniper species Pear, Bradford Catalpa Hopnormbeam Magnolia species | 27 27 18 9 | .2 | 7.3 12.0 33.0 12.0 12.0 | 33.3 | 66.7 100.0 50.0 100.0 | .0 | 50.0 | 15 34 132 3 11 |
| Juniper species Pear, Bradford Catalpa Hophornbeam Magnolia species Willow, Weeping Pine, Pondernsa | 27 27 18 9 9 | .2 | 7.3 12.0 33.0 12.0 12.0 12.0 | 33.3 | 50.0 50.0 100.0 100.0 | .0 | 50.0 100.0 .0 | 15 34 132 3 11 115 |
| Juniper species Pear, Bradford Catalpa Hophornbeam Magnolia species Willow, Weeping Pine, Ponderosa Fir. Balsam | 27 27 18 9 9 | .2 .2 .2 .1 .1 .1 .1 | 7.3 12.0 33.0 12.0 12.0 38.0 28.0 | 33.2 | 66.7 100.0 50.0 100.0 100.0 | .00 | 50.0 100.0 | 15 34 132 3 11 115 62 |
| Juniper species Pear, Bradford Catalpa Hopnornbeam Magnolia species Willow, Weeping Pine, Ponderosa Fir, Balsam TOTALS | 27 27 18 9 9 9 9 | 22 .27 .11 .11 .11 | 7.3 12.0 33.0 12.0 12.0 12.0 38.0 28.0 5.0 | 33.2 .0 .0 .0 .0 .0 .0 | 66.7 100.0 50.0 100.0 100.0 100.0 100.0 | .0 | 50.0 100.0 .0 .0 .0 | 15 34 132 3 11 115 62 2 |
| Juniper species Pear, Bradford Catalpa Hopnornbeam Magnolia species Willow, Weeping Pine, Ponderosa Fir, Balsam TOTALS | 27 27 18 9 9 9 9 9 | 22 . 22 . 11 . 11 . 11 . 1 | 12.0 33.0 12.0 12.0 12.0 38.0 28.0 5.0 | 33.3 .0 .0 .0 .0 .0 .0 .0 100.0 | 100.0 50.0 100.0 100.0 100.0 38.0 | .0 | 50.0 100.0 .0 .0 .0 .0 | 15 34 132 3 11 115 62 2 |
| Juniper species Pear, Bradford Catalpa Hophornbeam Magnolia species Willow, Weeping Pine, Ponderosa Fir, Balsam TOTALS CLASS IV | 54 27 27 18 9 9 9 9 9 | 22 . 22 . 11 . 11 . 11 . 11 . 11 . 11 . | 7.3 12.0 33.0 12.0 12.0 12.0 28.0 28.0 5.0 | 33.2 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 | 66.7 100.0 50.0 100.0 100.0 100.0 38.0 | .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 . | 50.0 100.0 100.0 .0 .0 | 15 34 132 3 11 115 62 2 1503 |
| Juniper species Pear, Bradford Catalpa Hophornbeam Magnolia species Willow, Weeping Pine, Ponderosa Fir, Balsam TOTALS CLASS IV Maple, Silver | 27 27 18 9 9 9 9 9 9 9 9 9 | 32 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 7.3 12.0 33.0 12.0 12.0 12.0 38.0 28.0 5.0 12.6 | 33.2 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 | 100.0 50.0 100.0 100.0 100.0 100.0 38.0 | 26.9 | 50.0 100.0 .0 .0 .0 .0 | 15 34 132 3 11 115 62 2 1503 |
| CLASS III Ash. White Maple, Japanese Cherry, Black Mulberry species Apple, Fruiting Horsechestnut spp. Redcedar, Eastern Juniper species Pear, Bradford Catalpa Hophornbeam Magnolia species Willow, Weeping Pine. Fonderosa Fir. Balsam TOTALS CLASS IV Maple. Silver Misc. IV Boxelder | 27 27 18 9 9 9 9 9 9 9 9 9 117 18 | .2 .2 .2 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 | 7.3 12.0 33.0 12.0 12.0 38.0 28.0 5.0 12.6 | 33.3 .0 .0 .0 .0 .0 .0 108.0 | 66.7 100.0 50.0 100.0 100.0 100.0 38.0 | 26.9 | 50.0 100.0 100.0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 | 15 34 132 3 11 115 62 2 1503 |
| Juniper species Pear, Bradford Catalpa Hophornbeam Magnolia species Willow, Weeping Pine, Ponderosa Fir. Balsam TOTALS CLASS IV Maple, Silver Misc. IV Boxelder Willow, White TOTALS | 27 27 18 9 9 9 9 9 9 9 9 9 10 117 18 9 | 1.5 1.0 | 7.3 12.0 33.0 12.0 38.0 28.0 5.0 12.6 | 33.2 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 | 66.7 100.0 50.0 100.0 100.0 100.0 38.0 85.0 23.1 50.0 | 26.9 | 50.0 50.0 100.0 .0 .0 .0 .0 .0 .0 .0 .0 .0 | 15 34 132 3 11 115 62 2 1503 |

11867 100.0 12.8 4.9 43.1

TOTALS

27894

SPECIES COMPOSITION LIST & VALUE - East Arlington

| 21142 - | | | | | | | | |
|-------------------------|------|--------------|------|-------|-------|-------|------|-----------|
| CLASS I Hemlock spp. | 153 | 3.2 | 7.5 | 47.1 | 52.9 | .0 | .0 | 161 |
| Arborvitae | 63 | rape on rape | 5.0 | .0 | 300.0 | .0 | .0 | 23 |
| Dak, Red | 27 | | 14.7 | 33.3 | 66.7 | .0 | | |
| TOTALS | 243 | | 7.6 | 33.3 | 66.7 | .0 | .0 | 98 282 |
| 10111111 | 243 | 2.4 | 7.40 | 33.3 | 00.7 | -0 | | 202 |
| CLASS II | | | | | | | | |
| Maple, Norway | 2356 | 50.0 | 13.6 | 2.7 | 51.2 | 37.0 | 9.2 | 5049 |
| Linden species | 497 | 10.6 | 19.0 | . 0 | 71.0 | 21.7 | 7.2 | 2140 |
| Honeylocust | 344 | 7.3 | 6.0 | .0 | 92.2 | 7.8 | .0 | 311 |
| Ash, Green | 252 | 5.4 | 10.2 | 25.0 | 57.1 | 14.3 | 3.6 | 394 |
| Dogwood species | 144 | | 6.8 | 12.5 | 43.8 | 37.5 | 6.3 | 79 |
| Spruce species | 126 | | 7.1 | .0 | 92.9 | .0 | 7.1 | 113 |
| Cherry, Ornamental | 117 | | 6.5 | 15.4 | 46.2 | 23.1 | 15.4 | 41 |
| Maple, Red | 99 | | 7.6 | 9.1 | 63.6 | 9.1 | 18.2 | 78 |
| Walnut species | 72 | | 6.8 | 12.5 | 87.5 | .0 | | 46 |
| Pine, Scotch | 45 | | 5.0 | .0 | 80.0 | .0 | .0 | |
| Sycamore | 45 | | 15.2 | 20.0 | | | 20.0 | 10 |
| Maple, Sycamore | 36 | | 33.0 | | 90.0 | .0 | -0 | 135 |
| Pine, White | 19 | | | 0.00 | 100.0 | .0 | .0 | 475 |
| | | | 12.0 | 100.0 | -0 | .0 | 0 | 4.1 |
| Crabapple species | 18 | | 12.0 | . 0 | .0 | 50.0 | 50.0 | 13 |
| Mountain Ash species | 19 | | 5.0 | -0 | 100.0 | .0 | .0 | 5 |
| Elm, American | 18 | | 20.0 | .0 | 100.0 | .0 | .0. | 95 |
| Pine, Austrian | 9 | | 5.0 | 100.0 | .0 | - 0 | .0 | 3 |
| Beech Species | 9 | | 5.0 | . 0 | 100.0 | . 0 | .0 | 2 |
| Oak, Scarlet | 9 | | 20.0 | . O | 100.0 | . D | .0 | 4.2 |
| Oak, Swamp White | 9 | | 5.0 | 100.0 | .0 | .0 | . 0 | 3 |
| TOTALS | 4241 | 90.1 | 12.8 | 5.3 | 59.9 | 26.9 | 7.9 | 9065 |
| CLASS III | | | | | | | | |
| Fir, Balsam | 54 | 1.1 | 5.0 | . 0 | 100.0 | .0 | .0 | 12 |
| Maple, Japanese | 27 | . 6 | 7.3 | 66.7 | 33.3 | . G | .0 | 16 |
| Magnolia species | 19 | | 8.5 | 50.0 | 50.0 | .0 | .0 | 17 |
| Birch, Grey | 18 | . 4 | 28.0 | 100.0 | .0 | .0 | .0 | 170 |
| Apple, Fruiting | 18 | . 4 | 5.0 | 100.0 | .0 | .0 | .0 | 5 |
| Ping. Red | 18 | | 5.0 | . 0 | 100.0 | . 0 | .0 | 4 |
| Catalpa | 9 | | 12.0 | .0 | 100.0 | .0 | .0 | 11 |
| Fruit. Other | 9 | .2 | 5.0 | .0 | 100.0 | .0 | , D | 2 |
| Redbud, Eastern | 9 | | 5.0 | .0 | .0 | 100.0 | .0 | 1 |
| Mulberry species | 9 | | 5.0 | .0 | 100.0 | .0 | . D | 2 |
| TOTALS | 189 | | 8.2 | 33.3 | 61.9 | 4.8 | .0 | 240 |
| | | | | | 4411 | | | |
| CLASS IV | 4 | | | | | | | |
| Maple, Silver | 27 | | | 33.3 | 33.3 | 33.3 | .0 | 24 |
| Misc. IV | 9 | | 5.0 | 100.0 | .0 | .0 | .0 | 1 |
| TOTALS | 36 | . 8 | 10.5 | 50.0 | 25.0 | 25.0 | .0 | 25 |
| TOTALS | 4709 | 100.0 | 12.3 | 8.2 | 60.1 | 24.6 | 7.1 | 9612 |
| | | | | | | | | |

DESIRABILITY CLASS AND VALUE SUMMARY: Town-

| DEST | RAB. | TTTT | CLASS | AND | VALUE | SUMM |
|--|----------|------------------------------------|-------------|-----|--------|-------|
| DESIRABILITY CLASS | NO OF | PCT OF TOTAL TREES | VALUE | | | |
| CLASS I | | | | | | |
| Hemlock spp. | 1021 | 9.2 9.0 | 1917 | | | |
| Arborvitae Oak, Red | 976 | 4.0 | 697 | | | |
| Oak, Red | 884 | 3.6 | 8245 | | | |
| Maple; Sugar Oak, White | 117 | .5 | 712 | | | |
| Elm, English | 20 | - 9 | 970 | | | |
| Oak, Pin | 27 | 1 | 135 | | | |
| Ginkgo | 9 | 4.0 3.6 .5 .4 .1 .1 | 4 | | | |
| TOTALS | 3151 | 12.9 | 12707 | | | |
| CLASS II | | | | | | |
| Maple, Norway Oak, Black Cherry, Ornamental Spruce species Pine, White | 20002 | 40.8 | 21241 | | | |
| Charry Ornandatal | 1253 | 5.1 | 6204 | | | |
| Spring gracian | 747 | 3.6 | 901 | | | |
| Pine, White | 722 | 2.9 | 1861 | | | |
| Linden species | 704 | 2.9 | 3280 | | | |
| Maple, Red | 693 | 2.8 | 2726 | | | |
| Ash, Green | 657 | 2.7 | 1142 | | | |
| Degwood species | 639 | 2.6 | 419 | | | |
| Honeylocust | 488 | 2.0 | 552 | | | |
| Sucamore Species | 324 | 7 7 | 381 | | | |
| Walnut species | 306 | 1 2 | 480 | | | |
| Elm. American | 261 | 1.1 | 687 | | | |
| Mountain Ash species | 126 | .5 | 52 | | | |
| Maple, Sycamore | 126 | . 5 | 697 | | | |
| Birch, Paper | 99 | . 4 | 71 | | | |
| Hickory species | 63 | . 3 | 131 | | | |
| Pine, Scotch | 45 | .2 | 10 | | | |
| Misc. II | 36 | - 1 | 10 | | | |
| Reach Species | 36 | - 1 | 0.1 | | | |
| Tuliptree | 36 | 1 | 44 | | | |
| Sweetgum | 27 | .1 | 88 | | | |
| Fir, White | 18 | . 1 | 18 | | | |
| Elm, Chinese | 19 | . 1 | 98 | | | |
| Oak, Swamp White | 9 | . 0 | 3 | | | |
| Fir species | 9 | . 0 | 4.2 | | | |
| Pine Brettian | 9 | - 0 | 42 | | | |
| Larch species | 9 | .0 | 2 | | | |
| Oak, Black Cherry, Ornamental Spruce species Pine, White Linden species Maple, Red Ash, Green Degwood species Honeylocust Crabapple species Sycamore Walnut species Elm, American Mountain Ash species Maple, Sycamore Birch, Paper Hickory species Pine, Scotch Misc. II Pear, Callery Beech Species Tuliptree Sweetgum Fir, White Elm, Chinese Oak, Swamp White Fir species Oak, Scarlet Pine, Austrian Larch species TOTALS CLASS III | 18759 | 76.5 | 44038 | | | |
| CLASS III | 200 | | | | | |
| Manle, Japanese | 261 | 1.5 | 562 | | | |
| Mulberry species | 775 | 4 . 1 | 169 | | | |
| Ash, White Maple, Japanese Mulberry species Cherry, Black Apple, Fruiting Magdolla species Locust, Black Juniper species Birch, White Horsechestnut spp. | 153 | . 6 | 73 | | | |
| Apple, Fruiting | 126 | .5 | 113 | | | |
| Magnolia species | 99 | . 4 | 63 | | | |
| Locust, Black | 99 | .4 | 75 | | | |
| Juniper species | 81 | -3 | 26 | | | |
| Norsechestnut app. | 63 | .3 | 262 | | | |
| Fir, Balsam | 63 | .3 | 14 | | | |
| Redcedar, Eastern | 54 | .2 | 14 | | | |
| Fruit, Other | 4.5 | .2 | 19 | | | |
| Pear, Bradford | 4.5 | . 2 | 47 | | | |
| Catalpa | 36 | - 1 | 145 | | | |
| Birch, Grey | 36 | -1 | 173 | | | |
| Ash, Black Hackberry | 27 19 | .1 | 66 | | | |
| Pine, Red | 18 | .1 | 73 | | | |
| Pine, Ponderosa | 9 | .0 | 62 | | | |
| Hophornbeam | 9 | .0 | 3 | | | |
| Redbud, Eastern | 9 | . 0 | 1 | | | |
| Misc. III | 9 | . 0 | 2 | | | |
| Willow, Weeping TOTALS | 1935 | 7.9 | 115 2495 | | | |
| | 2233 | 1,0 | 2430 | | | |
| CLASS IV | 252 | 1 6 | 1000 | | | |
| Maple, Silver | 351 | 1.4 | 1275 | | | |
| Misc. IV Tree-of-Reavan | 171 | -7 | 210 | | | |
| Boxelder | 105 | -1 | 87 | | | |
| Poplar species | 9 | .0 | ż | | | |
| Willow, White | 9 | .0 | 6 | | | |
| TOTALS | 666 | 2.7 | 1586 | 1 | | |
| TOTALS | 24511 | 100.0 | 60826 | \$6 | 60 mil | /10N. |
| | | | | | | |